

**ICAR-National Institute of Veterinary Epidemiology and Disease Informatics  
(ICAR-NIVEDI)**

**May 2019, Volume 7, Issue 5**



**LIVESTOCK DISEASE FOREWARNING BULLETIN- July 2019**

**(SIMPLIFIED SOLUTION! MAGNIFIED OPPORTUNITY!)**

**Published By:** Director  
**ICAR-NIVEDI**



**©ICAR-NIVEDI**

Data compilation by: Dr. M. Nagalingam

Dr. Siju Susan Jacob

**Prepared By:** Dr. K. P. Suresh  
Dr. Divakar Hemadri  
Dr. S. S. Patil



ICAR



# Disclaimer

The forewarnings are based on the retrospective disease data available in the NADRES database. Hence, for those states wherein data is limited/less, the forewarning may not be realistic. Further the forewarning will not take into consideration the control measures that are *in situ*.

## Acknowledgement


We would like to acknowledge the constant support and inspiration from honourable Secretary, DARE & DG, ICAR, Government of India, New Delhi.


We would like to express sincere everlasting gratitude to honourable Deputy Director-General (Animal Science) for his constant encouragement and guidance.


We would also like to express sincere gratitude to Department of Animal Husbandry, Dairying and Fisheries, Government of India for providing the livestock population data for preparation of this bulletin.

Animal Husbandry Departments of state governments and also AICRP on ADMAS centers are gratefully acknowledged for the timely report of disease outbreak data. We are thankful to all the scientific and technical staff of ICAR-NIVEDI for their feedback and support.

Furthermore, we would also like to acknowledge with much appreciation, the crucial role of Scientists Dr. M. Nagalingam and Dr. Siju Susan Jacob and SRF/YP Dheeraj R, Rashmi R. Kurli, Kiran Kumar S. and Charitha J. in preparation of this report.

  
Dr. K. P. Suresh



  
(Dr. Parimal Roy)  
Project Coordinator, AICRP on ADMAS  
& Director, ICAR-NIVEDI.

# Contents

1. About the Bulletin	1
2. Forewarning Methodology	2–4
3. Accuracy of Prediction	5
4. Moran's I for clustering of Livestock diseases	6–7
5. Forewarning of livestock disease for the month of March 2019	8–77
i) District wise Livestock Disease Forewarning	8–53
ii) State wise Livestock Disease Forewarning	54–60
iii) Diseases, Species affected, clinical signs and its preventive measures	61–64
iv) Livestock Risk Prediction - Disease forewarning Maps	64–77
6. Post prediction Validation	78
7. Launch of Mobile Android app. & link to download	79
8. Appendix	80–85
a) R Code	80–84
b) Abbreviations	85

## **1. About the bulletin...**

Livestock sector also plays a critical role in the welfare of India's rural population. This enterprise provides a flow of essential food products, draught power, manure, employment, income, and export earnings. As it is an important component in poverty alleviation programmes, continuous emphasis is being laid on this sector for enhancing the quality of the primary and secondary products in international market, which in turn demands safe animal health for better products. Therefore, livestock development programmes cannot succeed unless a well-organized animal health service is built up and protection of livestock against diseases and pests particularly against the deadly infections is assured.

India has achieved eradication of rinderpest (RP), CBPP, AHS and Dourine. However, there are several other infectious and non-infectious diseases prevailing in the country causing huge economic loss annually. Prevention, control and eradication of the animal diseases need a thorough understanding of the epidemiology as well their economic impact.

National Institute of Veterinary Epidemiology and Disease Informatics (NIVEDI) has the mandate to carry out research activities in the area of veterinary epidemiology and disease informatics. With the eradication of RP successfully, India has not only proved its ability to face the challenges, but also to succeed, despite various limitations. Similar efforts are needed to control and eradicate the diseases like FMD, PPR, Brucellosis, CSF, HS etc., which cause huge economic loss annually to the livestock industry. To this end, ICAR-NIVEDI has identified 12 priority diseases, based on the past incidence patterns and has built a strong database of these diseases. The database, which is backbone of the National Animal Disease Referral Expert System (NADRES), is used for providing monthly livestock disease forewarning, which is compiled in this monthly bulletin to alert the animal husbandry departments, both at the National/state level, to take appropriate control measures. We hope users/stakeholders find this bulletin useful in their quest to control livestock diseases.

After realising the difficulties in implementing the forewarning results at district level and also considering the importance of forewarning at block level, ICAR-NIVEDI attempted to develop models for predictive analytics at block levels. Similar risk factors like Meteorological and remote sensing variables were used for forewarning at block level. We started providing the forewarning results for Karnataka state on Foot & Mouth disease, Black quarter, HS and PPR on pilot basis.

## 2. Forewarning Methodology

### I. Materials

#### Livestock disease data

Previous 10 years livestock disease outbreak data retrieved from the NADRES database linked with Risk factors data includes host population, landscape parameters, meteorological and remote sensing variables. Further , disease outbreak data were dichotomised as presence or absence of disease in a given location at a given point of time.

#### Livestock population data

District wise livestock population data from 19<sup>th</sup> Livestock census (2012)

#### Meteorological data

Variables such as precipitation (mm/month), pressure (millibar), relative humidity (%), sea level pressure (millibar), minimum temperature (°C), maximum temperature (°C), wind speed(m/s), vapour pressure (hPa), soil moisture (%), perceptible water (mm), potential evaporation transpiration(mm/day) and cloud (%) were extracted from NCEP-National centre environmental prediction/IMD-Indian meteorological Database/NICRA-National Innovation Climate Resilient Agriculture and other sources for the past five years. Monthly average for the past five years have been calculated and used. Elevation as landscape parameters is being utilised in limited for developing risk estimation.

#### Remote sensing data

Remote sensing variables such as NDVI-Normalised difference vegetation index, EVI-Enhanced vegetation index and LST - Land surface temperature were calculated using MODIS LANDSAT/IRS satellite images for the past five years. Monthly average for the past five years have been calculated and used. Details of the parameters are tabulated below.

SDS Layer Name	Resolution	Description	Units	Data Type	Scaling Factor
500m_16_days_NDVI	500 sq. m	16 day NDVI average	NDVI	16-bit signed integer	0.0001
500m_16_days_EVI	500 sq. m	16 day EVI average	EVI	16-bit signed integer	0.0001
LST_Day_1km	1 sq. km	Day Land Surface Temperature	Kelvin	16-bit unsinged integer	0.02
Lai_1km	1 sq. km	Leaf Area Index	m <sup>2</sup> plant/m <sup>2</sup> ground	8-bit unsigned integer	0.1

Global Land data assimilation systems (GLDAS) use sophisticated land surface models (LSMs) to ingest satellite and ground-based observations, as parameters, forcing, and data for assimilation, in order to produce enhanced fields of land surface states and fluxes.

GLDAS Noah Land Surface Model containing the environmental parameters such as Potential evaporation rate (W m<sup>-2</sup>), Pressure (Pa), Specific humidity (kg/kg), Total precipitation rate (kg m<sup>-2</sup> s<sup>-1</sup>), Soil moisture (kg m<sup>-2</sup>), Temperature (K), Wind speed (m/s) were downloaded and data was extracted. Data was downloaded from the “GLDAS\_NOAH025\_M\_V2.1”

Dataset (<https://disc.sci.gsfc.nasa.gov/>) by setting the start and end dates. The spatial resolution of dataset is 25 sq. km.

## II. Weighted outbreak score

The outbreak data for the month of forecasting is extracted from NADRES database for the period of 10 years from current year. Outbreak data of 12 important livestock diseases are considered. The data is aggregated at district level and the weighted score is defined based on the number of outbreaks for each district in each month considering last 10 years. The weightage score was assigned as 0 for less than three number of outbreaks in last 10 years for selected month, score 1 for 3–6 number of outbreaks and 2 for more than 6 outbreaks. This weightage score for each district is labelled as risk variable in building the models and risk maps.



## III. Modelling approach

The risk data generated at village level were aggregated to block level or district level and month for suitable representation. Disease outbreak data were aligned with generated risk variables to the respective latitude and longitude, which were subjected to climate-disease modelling. A number of artificial intelligence system of models were fit to structured data and tested for accuracy in terms of discrimination power. Two regression models, Generalized Linear Models (GLM) and Generalized Additive Models (GAM) and nine machine learning algorithms, i.e. Random Forest (RF), Boosted Regression Tree (BRT), Artificial Neural Network (ANN), Multiple Adaptive Regression Spline (MARS), Flexible Discriminant Analysis (FDA), K-Nearest neighbours (KNN), Naïve Bayes(NB), Support Vector Machines(SVM) and Classification Tree Analysis (CTA) were employed for disease modelling. Different modelling methods return different types of ‘model object’ and all these model objects could be used for the predict function to make predictions for any combinations of values of independent variables. Response plots were created to explore and understand model predictions. The results on probability of disease outbreak was categorised in 6 risk levels- No risk (NR), Very low risk (V), Low risk (LR), Moderate risk (MR), High risk (HR) and Very high risk (VHR) for enabling the stake holders to take appropriate control measures by suitably allocating available resources.

Given below is the probability distribution of risk interpretations.

S. No.	Probability of risk	Interpretation
1	0	No risk/No or inadequate data
2	0–0.20	Very low risk
3	0.21–0.40	Low risk
4	0.41–0.60	Moderate risk
5	0.61–0.80	High risk
6	0.8–1.0	Very high risk



### 3. Accuracy of Prediction

Serial No.	Diseases	Accuracy (%)
1.	Anthrax	98.61
2.	Babesiosis	98.77
3.	Black Quarter	95.68
4.	Blue Tongue	99.69
5.	Enterotoxemia	97.22
6.	Fasciolosis	99.85
7.	Foot and mouth disease	94.91
8.	Haemorrhagic septicaemia	92.44
9.	Peste des petits ruminants	97.22
10.	Sheep & Goat pox	98.46
11.	Swine fever	99.54
12.	Theileriosis	98.30
13.	Trypanosomosis	100.00

- Formula Used:** The Accuracy of disease prediction was calculated using the following formula.

$$\frac{TP + TN}{Total} * 100$$

TP-True Positive Observations, TN-True Negative Observations, Total- Total observations.

- Internal Accuracy was performed using 10 years of data. Accuracy obtained was >90% for all the diseases predicted.

## 4. Moran's I for clustering of Livestock diseases

Moran's I is a tool measures spatial autocorrelation (feature similarity) based on both feature locations and feature values simultaneously. Given a set of features and an associated attribute, it evaluates whether the pattern expressed is clustered, dispersed, or random. The tool calculates the Moran's I Index value and both a Z score and p-value evaluating the significance of that index. In general, a Moran's Index value near +1.0 indicates clustering while an index value near -1.0 indicates dispersion.

In the case of the Spatial Autocorrelation tool, the null hypothesis states that "there is no spatial clustering of the values associated with the geographic features in the study area". When the *p*-value is small and the absolute value of the Z score is large enough that it falls outside of the desired confidence level, the null hypothesis can be rejected. If the index value is greater than 0, the set of features exhibits a clustered pattern. If the value is less than 0, the set of features exhibits a dispersed pattern.

The Moran's *I* statistic for spatial autocorrelation is given as:

$$I = \frac{n}{S_0} \frac{\sum_{i=1}^n \sum_{j=1}^n w_{i,j} z_i z_j}{\sum_{i=1}^n z_i^2} \quad (1)$$

where  $z_i$  is the deviation of an attribute for feature  $i$  from its mean ( $x_i - \bar{X}$ ),  $w_{i,j}$  is the spatial weight between feature  $i$  and  $j$ ,  $n$  is equal to the total number of features, and  $S_0$  is the aggregate of all the spatial weights:

$$S_0 = \sum_{i=1}^n \sum_{j=1}^n w_{i,j} \quad (2)$$

The  $z_I$ -score for the statistic is computed as:

$$z_I = \frac{I - E[I]}{\sqrt{V[I]}} \quad (3)$$

where:

$$E[I] = -1/(n - 1) \quad (4)$$

$$V[I] = E[I^2] - E[I]^2 \quad (5)$$

## Moran I indices measured for interpreting Spacial clustering

state	Anthrax	Babesiosis	BQ	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
ANDHRA PRADESH												
ARUNACHAL PRADESH			0.07	-0.21	0.17	-0.11	-0.18			0.11		
ASSAM							0.06					
HIMACHAL PRADESH							-0.23					
JAMMU & KASHMIR									0.25			
JHARKHAND		-0.11	0.02		-0.11	-0.22		-0.08		-0.02	-0.07	0.03
KARNATAKA	0.14		0.10	0.00		0.18	0.02	0.14	0.10			
KERALA	0.11	-0.11				0.00	-0.20				-0.25	
MADHYA PRADESH			0.06			0.06	0.33	0.08				
MANIPUR					-0.19					-0.08		
MEGHALAYA			-0.44			-0.18	-0.07			-0.18		
NAGALAND										-0.30		
ODISHA	-0.12		-0.08			0.04	0.04	-0.16	-0.07		0.46	
RAJASTHAN											-0.23	
TAMIL NADU							-0.12					
TRIPURA	0.11		0.05									
UTTAR PRADESH					-0.67	-0.67						
WEST BENGAL					-0.06							-0.08

## 5. Forewarning of livestock disease for the month of July 2019

### i) District wise Livestock Disease forewarning:



### District wise Livestock Disease forewarning for July 2019: Andaman and Nicobar

Districts of Andaman and Nicobar	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Nicobars	NR	VLR	NR	NR	NR	VHR	VLR	NR	NR	NR	NR	NR	NR
North & Middle Andaman	NR	NR	NR	NR	NR	VHR	VLR	VLR	NR	NR	NR	NR	NR
South Andaman	NR	NR	NR	NR	NR	VHR	MR	VHR	NR	MR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

## District wise Livestock Disease forewarning for July 2019: Andhra Pradesh

Districts of Andhra Pradesh	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Anantapur	VLR	NR	VLR	VLR	VHR	NR	NR	MR	MR	VLR	NR	NR	NR
Chittoor	VHR	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
East Godavari	NR	NR	MR	NR	NR	NR	NR	HR	NR	NR	NR	NR	NR
Guntur	NR	NR	NR	NR	NR	NR	NR	VHR	NR	NR	NR	NR	NR
Krishna	NR	NR	NR	NR	VHR	NR	NR	HR	VHR	NR	NR	NR	NR
Kurnool	VHR	NR	NR	NR	VHR	NR	NR	VLR	VLR	NR	NR	NR	NR
Prakasam	NR	NR	NR	VLR	VHR	NR	NR	HR	VLR	NR	NR	NR	NR
Sri Potti Sriramulu Nellore	VLR	NR	NR	VLR	VHR	NR	NR	VLR	VLR	NR	NR	NR	NR
Srikakulam	NR	NR	HR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Visakhapatnam	NR	NR	VLR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Vizianagaram	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
West Godavari	NR	NR	VLR	VLR	NR	NR	VLR	HR	NR	NR	NR	NR	NR
Y.S.R.	NR	NR	VLR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.



\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR), Very high risk (VHR)

## District wise Livestock Disease forewarning for July 2019: Arunachal Pradesh

Districts of Arunachal Pradesh	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Anjaw	NR	NR	VLR	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Changlang	NR	VLR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Dibang Valley	NR	NR	NR	NR	NR	NR	NR	VLR	NR	VLR	NR	NR	NR
East Kameng	NR	NR	VLR	VLR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
East Siang	NR	NR	VLR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Kurung Kumey	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Lohit	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Lower Dibang Valley	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Lower Subansiri	NR	NR	NR	NR	NR	VHR	NR	NR	NR	NR	NR	NR	NR
Papum Pare	NR	NR	NR	NR	NR	VHR	VLR	NR	NR	NR	NR	NR	NR
Tawang	NR	NR	VLR	VLR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Tirap	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Upper Siang	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Upper Subansiri	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
West Kameng	NR	NR	VLR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR
West Siang	NR	NR	NR	NR	NR	NR	VHR	VLR	NR	NR	NR	NR	NR

**If vaccination is already been done please ignore the disease forecast for that disease.**

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

## District wise Livestock Disease forewarning for July 2019: Assam

Districts of Assam	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Baksa	NR	NR	VHR	NR	NR	VHR	VLR	VLR	NR	NR	NR	NR	NR
Barpeta	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	VLR	NR	NR	NR
Bongaigaon	NR	NR	VHR	NR	NR	VHR	VLR	HR	NR	NR	NR	NR	NR
Cachar	NR	NR	VLR	NR	NR	NR	MR	VHR	NR	NR	VHR	NR	NR
Chirang	NR	NR	VHR	NR	NR	VHR	VLR	HR	NR	NR	NR	NR	NR
Darrang	NR	NR	VHR	NR	VHR	VHR	VLR	HR	NR	NR	NR	NR	NR
Dhemaji	NR	NR	VHR	NR	MR	VHR	HR	VLR	NR	NR	VHR	NR	NR
Dhubri	NR	NR	VHR	NR	NR	VHR	HR	VLR	VLR	VLR	NR	NR	NR
Dibrugarh	NR	NR	VLR	NR	NR	VHR	VLR	VLR	NR	NR	VHR	NR	NR
Dima Hasao	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Goalpara	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Golaghat	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Hailakandi	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Jorhat	NR	NR	VLR	NR	NR	VHR	VLR	VHR	NR	NR	VHR	NR	NR
Kamrup	NR	VHR	VLR	NR	NR	VHR	VLR	VLR	NR	NR	HR	VHR	NR
Kamrup Metropolitan	NR	VLR	VLR	NR	NR	VHR	VLR	VLR	VLR	NR	VHR	NR	NR
Karbi Anglong	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	VHR	NR	NR	NR
Karimganj	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Kokrajhar	NR	NR	VLR	NR	NR	HR	VLR	VLR	NR	NR	VHR	NR	NR
Lakhimpur	NR	NR	VHR	NR	NR	VHR	VLR	HR	NR	NR	VHR	NR	NR
Morigaon	NR	NR	VHR	NR	NR	VHR	VHR	VLR	NR	NR	VHR	NR	NR



**Continue**

Districts of Assam	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Nagaon	NR	NR	VHR	NR	MR	VHR	VHR	VHR	NR	NR	NR	NR	NR
Nalbari	NR	VHR	VLR	NR	NR	VHR	HR	VHR	NR	NR	NR	NR	NR
Sivasagar	NR	NR	NR	NR	VHR	VHR	VHR	VHR	HR	NR	VHR	NR	NR
Sonitpur	NR	NR	VHR	NR	NR	VHR	HR	VHR	NR	NR	VHR	NR	NR
Tinsukia	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Udalguri	NR	VLR	NR	NR	NR	VHR	VLR	VLR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

## District wise Livestock Disease forewarning for July 2019: Bihar

Districts of Bihar	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Araria	NR	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Arwal	NR	VLR	NR	NR	NR	NR	VLR	MR	NR	NR	NR	VLR	NR
Aurangabad	NR	NR	VLR	NR	NR	NR	NR	HR	VLR	NR	NR	NR	NR
Banka	NR	NR	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Begusarai	NR	VLR	VLR	NR	NR	NR	NR	VLR	NR	NR	NR	VLR	NR
Bhagalpur	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Bhojpur	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Buxar	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Darbhanga	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Gaya	NR	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Gopalganj	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Jamui	NR	VLR	VLR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Jehanabad	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	VLR	NR
Kaimur (Bhabua)	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Katihar	NR	VLR	VLR	NR	NR	NR	NR	NR	VLR	NR	NR	VLR	NR
Khagaria	NR	VLR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Kishanganj	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Lakhisarai	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	VLR	NR
Madhepura	NR	NR	NR	NR	NR	NR	HR	HR	NR	NR	NR	NR	NR
Madhubani	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Munger	NR	VLR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	VLR	NR
Muzaffarpur	NR	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR

**Continue**

Districts of Bihar	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Nalanda	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Nawada	NR	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	VLR	NR
Pashchim Champaran	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR
Patna	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Purba Champaran	NR	NR	NR	NR	NR	NR	NR	NR	VHR	NR	NR	NR	NR
Purnia	NR	VLR	VLR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Rohtas	NR	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Saharsa	NR	NR	VLR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Samastipur	NR	NR	HR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Saran	NR	VLR	VLR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Sheikhpura	NR	VLR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	VLR	NR
Sheohar	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Sitamarhi	NR	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Siwan	NR	VLR	NR	NR	NR	NR	VLR	NR	VLR	NR	NR	NR	NR
Supaul	NR	NR	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Vaishali	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	VLR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)




## District wise Livestock Disease forewarning for July 2019: Chandigarh



Districts of Chandigarh	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Chandigarh	NR	NR	NR	NR	NR	NR	MR	HR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)



## District wise Livestock Disease forewarning for July 2019: Chhattisgarh

Districts of Chhattisgarh	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Bastar	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Bijapur	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Bilaspur	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	VLR	NR
Dakshin Bastar Dantewada	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Dhamtari	NR	NR	NR	VLR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Durg	NR	NR	NR	VLR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Janjgir-champa	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Jashpur	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Kabeerdham	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Korba	NR	NR	NR	VLR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Koriya	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	VLR	NR	NR	NR
Mahasamund	NR	NR	NR	VLR	NR	NR	VLR	VLR	NR	VLR	NR	NR	NR
Narayanpur	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Raigarhh	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Raipur	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Rajnandgaon	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Surguja	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Uttar Bastar Kanker	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR

**If vaccination is already been done please ignore the disease forecast for that disease.**

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)






## District wise Livestock Disease forewarning for July 2019: Dadra and Nagar Haveli

Districts of Dadra and Nagar Haveli	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Dadra and Nagar Haveli	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	VLR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)






## District wise Livestock Disease forewarning for July 2019: Daman and Diu

Districts of Daman and Diu	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Daman	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Diu	NR	VLR	NR	NR	NR	NR	HR	LR	VLR	VLR	NR	VLR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)



## District wise Livestock Disease forewarning for July 2019: Goa

Districts of Goa	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
North Goa	VLR	ICAR VHR	NR	NR	NR	NR	NR	VHR	NR	NR	VHR	NR	NR
South Goa	NR	VLR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR

**If vaccination is already been done please ignore the disease forecast for that disease.**

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)



## District wise Livestock Disease forewarning for July 2019:Gujarat

Districts of Gujarat	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Ahmadabad	NR	NR	NR	NR	NR	NR	NR	MR	NR	NR	NR	NR	NR
Amreli	NR	NR	VLR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Anand	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Banas Kantha	VLR	NR	VLR	VLR	NR	NR	VLR	VLR	NR	VLR	NR	NR	NR
Bharuch	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Bhavnagar	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Dohad	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Gandhinagar	NR	NR	VLR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Jamnagar	NR	NR	VLR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Junagadh	VLR	NR	VLR	NR	NR	NR	VLR	HR	VLR	NR	NR	NR	NR
Kachchh	NR	NR	VLR	VLR	NR	NR	VLR	HR	VLR	NR	NR	NR	NR
Kheda	NR	NR	VLR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Mahesana	NR	NR	VLR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Narmada	NR	NR	VLR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Navsari	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Panch Mahals	VLR	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Patan	NR	NR	NR	NR	NR	NR	NR	HR	NR	NR	NR	NR	NR
Porbandar	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Rajkot	NR	NR	NR	NR	NR	NR	VLR	HR	VHR	NR	NR	NR	NR
Sabar Kantha	VLR	NR	VLR	NR	NR	NR	NR	VHR	NR	NR	NR	NR	NR
Surat	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Surendranagar	VHR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Tapi	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
The Dangs	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Vadodara	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	VHR
Valsad	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

## District wise Livestock Disease forewarning for July 2019: Haryana

Districts of Haryana	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Ambala	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bhiwani	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Faridabad	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Fatehabad	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Gurgaon	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hisar	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Jhajjar	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Jind	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Kaithal	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Karnal	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Kurukshetra	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Mahendragarh	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Mewat	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Palwal	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Panchkula	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Panipat	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Rewari	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Rohtak	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Sirsa	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Sonipat	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Yamunanagar	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	VLR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

## District wise Livestock Disease forewarning for July 2019: Himachal Pradesh

Districts of Himachal pradesh	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Bilaspur	VLR	NR	NR	NR	NR	NR	NR	VLR	NR	VLR	NR	NR	NR
Chamba	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Hamirpur	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Kangra	NR	NR	NR	VLR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Kinnaur	NR	NR	NR	NR	NR	NR	NR	VLR	NR	VLR	NR	NR	NR
Kullu	NR	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR
Lahul & Spiti	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Mandi	NR	NR	NR	VLR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Shimla	NR	VLR	VLR	VLR	NR	NR	VLR	VLR	NR	MR	NR	NR	NR
Sirmaur	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Solan	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Una	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

## District wise Livestock Disease forewarning for July 2019: Jammu and Kashmir

Districts of Jammu and Kashmir	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Anantnag	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	HR	NR	NR	NR
Badgam	VLR	NR	NR	NR	NR	NR	NR	NR	NR	VHR	NR	NR	NR
Bandipore	VLR	NR	NR	NR	NR	NR	NR	VLR	NR	VHR	NR	NR	NR
Baramula	HR	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR
Doda	NR	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR
Ganderbal	NR	NR	NR	NR	NR	NR	NR	VLR	NR	VLR	NR	NR	NR
Jammu	NR	NR	NR	NR	NR	NR	NR	MR	NR	NR	NR	NR	NR
Kargil	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Kathua	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Kishtwar	NR	NR	NR	NR	NR	NR	VLR	NR	NR	VLR	NR	NR	NR
Kulgam	NR	NR	NR	NR	NR	NR	VLR	NR	NR	MR	NR	NR	NR
Kupwara	NR	NR	NR	NR	VHR	NR	NR	NR	NR	VLR	NR	NR	NR
Leh(Ladakh)	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Pulwama	NR	NR	NR	NR	NR	NR	NR	VLR	NR	HR	NR	NR	NR
Punch	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Rajouri	NR	NR	NR	VLR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Ramban	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Reasi	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Samba	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	VLR	NR
Shupiyan	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Srinagar	NR	NR	NR	NR	NR	NR	NR	NR	NR	HR	NR	NR	NR
Udhampur	NR	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

**If vaccination is already been done please ignore the disease forecast for that disease.**

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

## District wise Livestock Disease forewarning for July 2019: Jharkhand

Districts of Jharkhand	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Bokaro	NR	VHR	VHR	NR	NR	VHR	VHR	VLR	VHR	NR	NR	VHR	VHR
Chatra	NR	VHR	VLR	NR	NR	VHR	VLR	VLR	VLR	NR	NR	VHR	VHR
Deoghar	NR	VHR	VLR	NR	NR	VHR	VLR	VLR	VLR	NR	NR	VHR	VHR
Dhanbad	NR	VHR	VLR	NR	NR	VHR	HR	VLR	VHR	NR	VHR	VHR	VHR
Dumka	NR	VHR	VHR	NR	VHR	VHR	VHR	VHR	VHR	NR	NR	VHR	VHR
Garhwa	NR	VHR	NR	NR	NR	VHR	NR	VLR	NR	NR	NR	VHR	VHR
Giridih	NR	VHR	HR	NR	NR	VHR	VLR	HR	VLR	VLR	NR	MR	VHR
Godda	NR	VHR	NR	VLR	NR	VHR	NR	NR	NR	NR	NR	VHR	VHR
Gumla	NR	VHR	VLR	NR	NR	VHR	VLR	VLR	VLR	NR	VHR	VHR	VHR
Hazaribagh	VLR	VHR	VLR	NR	NR	VHR	VLR	HR	VLR	VLR	VHR	VHR	VHR
Jamtara	NR	VHR	VLR	NR	NR	VHR	VLR	VLR	MR	NR	NR	VHR	VHR
Khunti	NR	VHR	NR	NR	NR	VHR	VHR	VLR	VLR	VLR	NR	VHR	VHR
Koderma	NR	HR	NR	NR	NR	VHR	VLR	VLR	NR	VLR	NR	HR	VHR
Latehar	NR	VHR	NR	NR	NR	VHR	NR	NR	VLR	NR	NR	VHR	VHR
Lohardaga	NR	VHR	HR	NR	NR	VHR	VHR	HR	VHR	VLR	NR	VHR	VHR
Pakur	NR	VHR	HR	NR	NR	VHR	VHR	VHR	HR	NR	NR	VHR	VHR
Palamu	NR	VHR	VHR	NR	NR	VHR	VHR	HR	VHR	NR	NR	VLR	VHR
Pashchimi Singhbhum	NR	VHR	VLR	NR	NR	VHR	VLR	VLR	VLR	NR	NR	VLR	NR
Purbi Singhbhum	HR	VHR	VLR	NR	NR	VHR	VLR	VLR	MR	VLR	NR	VHR	VHR
Ramgarh	NR	NR	NR	NR	NR	MR	VLR	VLR	VLR	VLR	NR	VLR	NR
Ranchi	NR	VHR	MR	VLR	NR	VHR	VLR	VLR	HR	VLR	VHR	VHR	VHR
Sahibganj	NR	VHR	NR	NR	NR	VHR	VLR	VLR	NR	VLR	NR	VHR	VHR
Seraikela - Kharsawan	NR	MR	VLR	NR	NR	VHR	NR	VLR	VLR	NR	NR	HR	VHR
Simdega	NR	VHR	VLR	NR	NR	VHR	MR	VLR	MR	NR	NR	VHR	VHR

If vaccination is already been done please ignore the disease forecast for that disease.

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)



## District wise Livestock Disease forewarning for July 2019: Karnataka



Districts of Karnataka	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Bagalkot	NR	NR	HR	NR	NR	NR	VLR	HR	NR	VHR	NR	NR	NR
Bangalore	NR	NR	NR	VLR	NR	NR	HR	VLR	HR	NR	NR	NR	NR
Bangalore Rural	HR	NR	NR	VLR	NR	NR	VHR	VLR	VLR	NR	NR	NR	NR
Belgaum	VLR	NR	HR	VLR	NR	NR	NR	HR	NR	HR	NR	NR	NR
Bellary	VHR	NR	VLR	NR	NR	NR	VLR	HR	HR	VHR	NR	NR	NR
Bidar	NR	NR	MR	NR	NR	NR	NR	HR	VLR	VLR	NR	NR	NR
Bijapur	NR	NR	NR	NR	NR	NR	NR	HR	NR	NR	NR	NR	NR
Chamarajanagar	VHR	NR	VLR	VLR	NR	NR	MR	VLR	NR	VLR	NR	NR	NR
Chikkaballapura	VHR	NR	VLR	VLR	NR	NR	HR	LR	VHR	NR	NR	NR	NR
Chikmagalur	NR	NR	HR	VLR	NR	NR	VHR	HR	VLR	NR	NR	NR	NR
Chitradurga	HR	NR	VHR	VLR	VHR	NR	NR	VHR	VLR	HR	NR	NR	NR
Dakshina Kannada	NR	NR	NR	NR	NR	NR	VHR	HR	VLR	NR	NR	VLR	NR
Davanagere	VHR	NR	VHR	NR	NR	NR	NR	HR	NR	VHR	NR	NR	NR
Dharwad	VLR	NR	VLR	NR	NR	NR	VLR	HR	NR	NR	NR	NR	NR
Gadag	NR	NR	MR	VLR	NR	NR	VLR	HR	VHR	NR	NR	NR	NR

## Continue

Districts of Karnataka	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Gulbarga	NR	NR	VLR	NR	NR	NR	NR	HR	NR	HR	NR	NR	NR
Hassan	VLR	NR	HR	VLR	NR	NR	MR	VLR	NR	NR	NR	NR	NR
Haveri	VLR	NR	MR	NR	NR	NR	NR	HR	VLR	HR	NR	NR	NR
Kodagu	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Kolar	NR	NR	NR	VLR	NR	NR	VLR	LR	LR	NR	NR	NR	NR
Koppal	VHR	NR	HR	VLR	NR	NR	VLR	HR	VLR	VHR	NR	NR	NR
Mandya	NR	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR
Mysore	NR	NR	VHR	VLR	NR	NR	HR	HR	VLR	VLR	NR	NR	NR
Raichur	HR	NR	HR	NR	VHR	NR	NR	HR	MR	MR	NR	NR	NR
Ramanagara	VLR	NR	NR	VLR	NR	NR	HR	VLR	HR	NR	NR	NR	NR
Shimoga	NR	NR	VHR	VLR	VHR	NR	LR	HR	VLR	NR	NR	NR	NR
Tumkur	VHR	NR	VHR	VLR	VHR	NR	NR	VHR	VLR	HR	NR	NR	NR
Udupi	VLR	VLR	NR	NR	NR	NR	MR	VLR	VLR	NR	NR	NR	NR
Uttara Kannada	VLR	NR	HR	NR	NR	NR	VLR	VHR	VLR	NR	NR	NR	NR
Yadgir	NR	NR	VLR	NR	VHR	NR	NR	VHR	HR	VLR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

## District wise Livestock Disease forewarning for July 2019: Kerala

Districts of Kerala	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Alappuzha	NR	NR	NR	NR	NR	NR	VHR	VLR	NR	NR	NR	NR	NR
Ernakulam	NR	NR	NR	NR	NR	NR	VHR	VLR	NR	NR	NR	VLR	NR
Idukki	VHR	VHR	NR	NR	NR	NR	HR	VLR	NR	NR	NR	NR	NR
Kannur	NR	NR	NR	NR	NR	NR	HR	VLR	VLR	NR	NR	NR	NR
Kasaragod	NR	NR	NR	NR	NR	NR	VHR	VLR	VLR	NR	NR	NR	NR
Kollam	HR	NR	NR	NR	NR	NR	VHR	HR	NR	NR	NR	VLR	NR
Kottayam	NR	NR	NR	NR	NR	NR	VHR	VHR	NR	NR	VHR	VLR	NR
Kozhikode	NR	VLR	NR	NR	NR	NR	HR	VLR	VLR	NR	NR	VLR	NR
Malappuram	VLR	VLR	NR	NR	NR	NR	VHR	VLR	NR	NR	NR	VLR	NR
Palakkad	NR	NR	NR	NR	NR	NR	HR	VLR	MR	NR	VHR	VHR	NR
Pathanamthitta	VHR	VHR	NR	NR	NR	NR	VHR	HR	NR	NR	NR	VHR	NR
Thiruvananthapuram	NR	NR	NR	NR	NR	NR	VHR	HR	NR	NR	NR	VLR	NR
Thrissur	HR	VHR	NR	NR	NR	NR	VHR	VHR	VLR	NR	NR	VLR	VHR
Wayanad	NR	VHR	NR	NR	NR	NR	HR	VLR	NR	NR	NR	HR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)




ICAR

राष्ट्रजा सूचिस  
NIVEDI

## District wise Livestock Disease forewarning for July 2019: Lakshadweep

Districts of Lakshadweep	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Lakshadweep	NR	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)



## District wise Livestock Disease forewarning for July 2019: Madhya Pradesh

Districts of Madhya Pradesh	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Alirajpur	NR	NR	NR	VLR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Anuppur	VLR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	VLR	NR
Ashoknagar	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Balaghat	NR	NR	HR	VLR	NR	NR	NR	MR	VLR	NR	NR	NR	NR
Barwani	NR	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Betul	NR	NR	VHR	NR	NR	NR	NR	VLR	VHR	NR	NR	NR	NR
Bhind	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Bhopal	NR	NR	NR	NR	NR	NR	VLR	HR	VLR	NR	NR	NR	NR
Burhanpur	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Chhatarpur	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Chhindwara	NR	NR	VHR	NR	NR	NR	NR	VHR	VLR	NR	NR	NR	NR
Damoh	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Datia	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Dewas	NR	NR	NR	NR	NR	NR	MR	VLR	VLR	NR	NR	NR	NR
Dhar	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Dindori	VLR	NR	VLR	NR	NR	NR	NR	MR	NR	NR	NR	NR	NR
East Nimar	NR	VLR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Guna	NR	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Gwalior	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Harda	NR	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Hoshangabad	NR	NR	VLR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Indore	NR	NR	NR	NR	NR	NR	NR	HR	VLR	NR	NR	NR	NR
Jabalpur	NR	NR	NR	NR	NR	NR	NR	HR	VHR	NR	NR	NR	NR
Jhabua	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Katni	NR	NR	VLR	NR	NR	NR	NR	VHR	VLR	NR	NR	NR	NR

Continue

Districts of Madhya Pradesh	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Khargone (West Nimar)	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Mandla	NR	VLR	NR	NR	NR	NR	NR	HR	NR	NR	NR	NR	NR
Mandsaur	NR	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Morena	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Narsimhapur	NR	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Neemuch	NR	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Panna	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Raisen	NR	NR	VLR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Rajgarh	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Ratlam	NR	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Rewa	NR	NR	VLR	VLR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Sagar	NR	VHR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Satna	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Sehore	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Seoni	NR	NR	NR	NR	NR	NR	NR	HR	NR	NR	NR	NR	NR
Shahdol	NR	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Shajapur	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Sheopur	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Shivpuri	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	VHR	NR	NR
Sidhi	NR	VLR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	VLR	NR
Singrauli	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Tikamgarh	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Ujjain	NR	NR	NR	NR	NR	NR	VLR	NR	VLR	NR	NR	NR	NR
Umaria	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Vidisha	NR	NR	VLR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

## District wise Livestock Disease forewarning for July 2019: Maharashtra

Districts of Maharashtra	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Ahmadnagar	NR	NR	VLR	NR	NR	NR	NR	VLR	VHR	NR	NR	NR	NR
Akola	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Amravati	NR	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Aurangabad	NR	NR	VLR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Bhandara	NR	VLR	VLR	VLR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Bid	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Buldana	NR	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Chandrapur	NR	VLR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Dhule	NR	NR	VLR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Gadchiroli	NR	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Gondiya	NR	VLR	VLR	VLR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Hingoli	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Jalgaon	NR	NR	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Jalna	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Kolhapur	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Latur	NR	NR	VLR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Mumbai	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	VLR	NR
Mumbai Suburban	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Nagpur	NR	VLR	VLR	NR	NR	NR	VLR	VLR	VHR	NR	NR	NR	NR
Nanded	NR	NR	VLR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Nandurbar	NR	NR	VLR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Nashik	NR	NR	MR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Osmanabad	NR	NR	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Parbhani	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR
Pune	NR	NR	VLR	LR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR

Continue



Districts of Maharashtra	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Raigarh	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Ratnagiri	VLR	NR	VLR	NR	NR	NR	NR	VLR	NR	NR	NR	VLR	NR
Sangli	NR	NR	VLR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Satara	NR	NR	VLR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Sindhudurg	VLR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	VLR	NR
Solapur	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Thane	NR	VLR	VLR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR
Wardha	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Washim	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Yavatmal	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

## District wise Livestock Disease forewarning for July 2019: Manipur

Districts of Manipur	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Bishnupur	NR	NR	VLR	NR	NR	VHR	VLR	VLR	NR	VLR	MR	NR	NR
Chandel	NR	VLR	VLR	NR	NR	VHR	VLR	VLR	NR	VLR	NR	NR	NR
Churachandpur	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	VHR	NR	NR
Imphal East	NR	NR	VLR	NR	NR	VHR	VLR	VLR	NR	NR	VHR	NR	NR
Imphal West	NR	NR	VLR	NR	NR	VHR	VLR	VLR	NR	NR	VHR	NR	NR
Senapati	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	VHR	NR	NR	NR
Tamenglong	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Thoubal	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	VHR	VHR	NR	NR
Ukhrul	NR	NR	VLR	NR	NR	NR	VLR	HR	NR	NR	HR	NR	NR

**If vaccination is already been done please ignore the disease forecast for that disease.**

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

## District wise Livestock Disease forewarning for July 2019: Meghalaya

Districts of Meghalaya	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
East Garo Hills	NR	VLR	VLR	NR	NR	NR	VLR	VLR	NR	NR	HR	NR	NR
East Jaintia Hills	NR	NR	NR	NR	NR	NR	VHR	VLR	NR	VLR	VHR	NR	NR
East Khasi Hills	NR	NR	NR	NR	NR	NR	VHR	VLR	VLR	NR	VHR	NR	NR
Jaintia Hills	NR	NR	VLR	NR	NR	NR	VHR	VLR	NR	NR	NR	NR	NR
North Garo Hills	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Ribhoi	NR	NR	NR	NR	NR	NR	VHR	VLR	NR	NR	VHR	NR	NR
South Garo Hills	NR	NR	VLR	NR	NR	NR	HR	VLR	NR	NR	VHR	VLR	NR
Southwest Garo Hills	NR	VLR	VLR	NR	NR	NR	VLR	VLR	NR	VLR	VHR	NR	NR
Southwest Khasi Hills	NR	NR	VLR	NR	NR	NR	HR	MR	VLR	VLR	NR	NR	NR
West Garo Hills	NR	VLR	HR	NR	NR	NR	VHR	HR	NR	NR	VHR	VLR	NR
West Khasi Hills	NR	NR	VHR	NR	NR	NR	VHR	VLR	NR	NR	VHR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)



## District wise Livestock Disease forewarning for July 2019: Mizoram



Districts of Mizoram	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Aizawl	NR	VHR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Champhai	NR	NR	VLR	NR	NR	NR	VLR	HR	NR	VLR	VHR	NR	NR
Kolasib	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Lawngtlai	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Lunglei	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Mamit	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Saiha	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Serchhip	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

## District wise Livestock Disease forewarning for July 2019: Nagaland

Districts of Nagaland	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Dimapur	NR	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	VHR	NR	NR
Kiphire	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Kohima	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Longleng	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	VHR	NR	NR
Mokokchung	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Mon	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Peren	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Phek	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Tuensang	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	VHR	NR	NR
Wokha	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Zunheboto	NR	NR	NR	NR	NR	NR	HR	VLR	NR	NR	VHR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

## District wise Livestock Disease forewarning for July 2019: NCT of Delhi

Districts of NCT of Delhi	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Central	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	VLR	NR
East	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
New Delhi	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	VLR	NR
North	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	VLR	NR	VLR	NR
North East	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	VLR	NR
North West	NR	NR	VLR	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR
South	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	VLR	NR
South West	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	VLR	NR	VLR	NR
West	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	VLR	NR

**If vaccination is already been done please ignore the disease forecast for that disease.**

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

## District wise Livestock Disease forewarning for July 2019: Odisha

Districts of Odisha	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Anugul	NR	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Balangir	NR	NR	NR	NR	NR	NR	NR	VLR	NR	VLR	NR	VLR	NR
Baleswar	NR	VLR	VLR	NR	NR	NR	NR	VLR	VLR	VLR	NR	VLR	NR
Bargarh	VHR	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	VLR	NR
Baudh	NR	NR	HR	NR	NR	NR	VLR	VLR	VLR	VLR	NR	VLR	NR
Bhadrak	NR	NR	VLR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Cuttack	NR	NR	HR	NR	NR	NR	VLR	NR	VLR	VLR	NR	VHR	VHR
Debagarh	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Dhenkanal	NR	NR	VLR	NR	NR	NR	HR	VLR	NR	NR	NR	VLR	NR
Gajapati	NR	VLR	VLR	VLR	NR	NR	VHR	VLR	VLR	VLR	NR	VLR	NR
Ganjam	NR	VLR	VLR	NR	NR	NR	VLR	VLR	VHR	VLR	NR	VLR	NR
Jagatsinghapur	NR	VLR	VLR	NR	NR	NR	VLR	VLR	VLR	VLR	NR	HR	NR
Jajapur	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	HR	NR
Jharsuguda	NR	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Kalahandi	NR	NR	NR	NR	NR	NR	VLR	MR	NR	VLR	NR	NR	NR
Kandhamal	NR	NR	VLR	NR	NR	NR	VLR	VLR	VLR	VLR	NR	NR	NR
Kendrapara	NR	NR	VLR	NR	NR	NR	VLR	VLR	VLR	VLR	NR	VLR	NR
Kendujhar	NR	VLR	VLR	NR	NR	NR	VLR	VLR	VHR	NR	NR	NR	NR
Khordha	NR	NR	VHR	NR	NR	NR	MR	VLR	NR	NR	NR	VHR	NR
Koraput	HR	NR	VLR	VLR	NR	NR	LR	LR	NR	VHR	NR	VLR	NR
Malkangiri	NR	NR	VLR	NR	NR	NR	VLR	VLR	VLR	VLR	NR	VLR	NR
Decemberurbhanj	NR	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	VLR	NR
Nabarangapur	VLR	NR	NR	VLR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Nayagarh	NR	VLR	VLR	NR	NR	NR	VLR	HR	NR	VLR	NR	VHR	NR
Nuapada	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	VLR	NR	HR	NR



Continue



Districts of Odisha	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Puri	NR	NR	NR	NR	NR	NR	HR	HR	NR	HR	NR	HR	NR
Rayagada	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	VLR	NR	MR	NR
Sambalpur	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	MR	NR	VLR	NR
Subarnapur	NR	NR	NR	NR	NR	NR	NR	VLR	NR	VLR	NR	VLR	NR
Sundargarh	MR	VLR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)



## District wise Livestock Disease forewarning for July 2019: Puducherry



Districts of Puducherry	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Karaikal	NR	VHR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Mahe	NR	VLR	NR	NR	NR	NR	MR	VLR	VLR	NR	NR	VLR	NR
Puducherry	NR	VHR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Yanam	NR	NR	NR	NR	NR	VHR	VLR	VLR	NR	VLR	NR	VLR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

## District wise Livestock Disease forewarning for July 2019: Punjab

Districts of Punjab	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Amritsar	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Barnala	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	VLR	NR
Bathinda	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	VLR	NR
Faridkot	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	VLR	NR
Fatehgarh Sahib	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	MR	NR
Firozpur	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Gurdaspur	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Hoshiarpur	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	VHR	NR
Jalandhar	NR	NR	NR	NR	NR	NR	VLR	HR	NR	NR	NR	NR	NR
Kapurthala	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	VLR	NR
Ludhiana	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Mansa	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	VLR	NR
Moga	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	MR	NR
Muktsar	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	VLR	NR
Patiala	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	VHR
Rupnagar	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Sahibzada Ajit Singh Nagar	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Sangrur	NR	VHR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Shahid Bhagat Singh Nagar	VLR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Tarn Taran	NR	NR	NR	NR	NR	NR	NR	HR	NR	NR	NR	NR	NR

**If vaccination is already been done please ignore the disease forecast for that disease.**

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

### District wise Livestock Disease forewarning for July 2019: Rajasthan

Districts of Rajasthan	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Ajmer	NR	NR	NR	VLR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Alwar	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Banswara	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Baran	NR	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Barmer	NR	VLR	NR	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bharatpur	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Bhilwara	NR	NR	VLR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Bikaner	NR	VLR	VLR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR
Bundi	NR	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Chittaurgarh	NR	NR	NR	NR	NR	NR	VLR	VHR	VLR	NR	NR	NR	NR
Churu	NR	NR	VLR	VLR	VHR	NR	NR	VLR	NR	NR	NR	NR	NR
Dausa	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Dhaulpur	NR	NR	NR	VLR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Dungarpur	NR	NR	VLR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Ganganagar	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Hanumangarh	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Jaipur	NR	NR	VLR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Jaisalmer	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Jalor	NR	NR	VLR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Jhalawar	NR	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Jhunjhunun	NR	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Jodhpur	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Karauli	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Kota	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Nagaur	NR	NR	NR	VLR	NR	NR	NR	VLR	NR	NR	NR	NR	NR



Continue

Districts of Rajasthan	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Pali	NR	NR	MR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Pratapgarh	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Rajsamand	NR	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Sawai Madhopur	NR	NR	NR	NR	NR	NR	NR	HR	NR	NR	NR	NR	NR
Sikar	NR	NR	NR	NR	NR	NR	NR	HR	VLR	NR	NR	NR	NR
Sirohi	NR	NR	VLR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Tonk	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Udaipur	NR	NR	VLR	VLR	NR	NR	VLR	VLR	VLR	NR	NR	NR	VHR

If vaccination is already been done please ignore the disease forecast for that disease.

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)



## District wise Livestock Disease forewarning for July 2019: Sikkim



Districts of Sikkim	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
East District	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
North District	NR	NR	VLR	NR	NR	NR	NR	NR	NR	VLR	VHR	NR	NR
South District	NR	VHR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	MR	NR
West District	NR	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

## District wise Livestock Disease forewarning for July 2019: Tamil Nadu

Districts of Tamil Nadu	Livestock Disease												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Ariyalur	NR	NR	VLR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Chennai	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Coimbatore	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Cuddalore	VLR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Dharmapuri	VHR	NR	VHR	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Dindigul	HR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Erode	VLR	NR	NR	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Kancheepuram	NR	NR	VLR	VLR	VHR	NR	NR	VLR	NR	NR	NR	NR	NR
Kanniyakumari	NR	VLR	NR	VLR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Karur	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Krishnagiri	VHR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Madurai	VLR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Nagapattinam	NR	NR	VLR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Namakkal	VLR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Perambalur	VLR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Pudukkottai	VLR	NR	VLR	VLR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Ramanathapuram	NR	NR	VLR	VLR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Salem	VLR	NR	NR	VLR	NR	NR	NR	NR	VLR	NR	NR	NR	NR
Sivaganga	VLR	NR	NR	NR	NR	NR	HR	VLR	NR	NR	NR	NR	NR
Thanjavur	NR	NR	VLR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
The Nilgiris	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Theni	VLR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Thiruvallur	VHR	NR	VHR	NR	NR	NR	NR	VHR	NR	NR	NR	NR	NR
Thiruvarur	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Thoothukkudi	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR



Continue

Districts of Tamil Nadu	Livestock Disease												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Tiruchirappalli	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Tirunelveli	VLR	NR	NR	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Tiruppur	VLR	NR	NR	NR	NR	NR	VHR	VLR	NR	NR	NR	NR	NR
Tiruvannamalai	VLR	NR	VLR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Vellore	VHR	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Viluppuram	VLR	NR	HR	NR	VHR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Virudhunagar	VLR	NR	NR	VLR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

## District wise Livestock Disease forewarning for July 2019: Telangana

Districts of Telangana	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Adilabad	VLR	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Hyderabad	NR	NR	NR	NR	VHR	NR	NR	VLR	VLR	NR	NR	NR	NR
Karimnagar	NR	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Khammam	NR	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Mahbubnagar	VLR	NR	VLR	NR	VHR	NR	NR	HR	VLR	NR	NR	NR	NR
Medak	NR	NR	NR	NR	NR	NR	NR	MR	VLR	VLR	NR	NR	NR
Nalgonda	VLR	NR	VLR	NR	VHR	NR	NR	MR	VLR	NR	NR	NR	NR
Nizamabad	NR	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Rangareddy	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Warangal	NR	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR

**If vaccination is already been done please ignore the disease forecast for that disease.**

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)



## District wise Livestock Disease forewarning for July 2019: Tripura

Districts of Tripura	Livestock Disease												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Dhalai	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	HR	NR	NR	NR
North Tripura	NR	VLR	VLR	NR	NR	VHR	VHR	VLR	NR	NR	NR	VLR	NR
South Tripura	NR	VHR	VHR	NR	NR	VHR	VHR	VHR	VLR	VHR	VHR	NR	NR
West Tripura	NR	VHR	VHR	NR	NR	VHR	VHR	VHR	MR	NR	VHR	VLR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

## District wise Livestock Disease forewarning for July 2019: Uttar Pradesh

Districts of Uttar Pradesh	Livestock Disease												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Agra	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Aligarh	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Allahabad	NR	NR	VLR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR
Ambedkar Nagar	NR	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR
Amethi	NR	VLR	VLR	NR	NR	NR	VLR	VLR	VLR	VLR	NR	NR	NR
Auraiya	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Azamgarh	NR	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Baghpat	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bahraich	NR	NR	VLR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Ballia	NR	VHR	VLR	NR	NR	VHR	NR	VLR	VLR	NR	NR	VHR	VHR
Balrampur	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Banda	NR	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Bara Banki	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bareilly	NR	NR	NR	NR	NR	NR	VLR	VLR	HR	NR	NR	NR	NR
Basti	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Bijnor	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Budaun	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Bulandshahr	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Chandauli	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	VLR	NR
Chitrakoot	NR	NR	VLR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR
Deoria	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Etah	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Etawah	NR	HR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	VHR
Faizabad	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Farrukhabad	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR

Continue

Districts of Uttar Pradesh	Livestock Disease												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Fatehpur	NR	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Firozabad	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Gautam Buddha Nagar	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Ghaziabad	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Ghazipur	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Gonda	NR	NR	VLR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Gorakhpur	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hamirpur	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	VLR	NR	NR	NR
Hapur	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Hardoi	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Jalaun	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Jaunpur	NR	NR	NR	NR	NR	VHR	NR	VLR	NR	NR	NR	NR	VHR
Jhansi	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR
Jyotiba Phule Nagar	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Kannauj	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Kanpur Dehat	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Kanpur Nagar	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Kanshiram Nagar	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Kaushambi	NR	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Kheri	NR	VLR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Kushinagar	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Lalitpur	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Lucknow	NR	NR	NR	NR	NR	VHR	NR	NR	NR	NR	NR	NR	VHR
MahaDecembera Nagar	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Mahoba	NR	NR	VLR	NR	NR	NR	VLR	NR	VLR	NR	NR	VLR	NR

Continue

Districts of Uttar Pradesh	Livestock Disease												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Mahrajganj	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Mainpuri	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Mathura	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Mau	NR	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Meerut	NR	NR	NR	NR	NR	VHR	NR	NR	NR	NR	NR	NR	VHR
Mirzapur	NR	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Moradabad	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Muzaffarnagar	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Pilibhit	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR
Pratapgarh	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Rae Bareli	NR	VLR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Rampur	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Saharanpur	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Sambhal	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Sant Kabir Nagar	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Sant Ravidas Nagar	NR	NR	NR	NR	NR	VHR	NR	NR	NR	NR	NR	NR	VHR
Shahjahanpur	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Shamli	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Shrawasti	NR	NR	VLR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Siddharthnagar	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Sitapur	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Sonbhadra	NR	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Sultanpur	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Unnao	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Varanasi	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)



## District wise Livestock Disease forewarning for July 2019: Uttarakhand



Districts of Uttarakhand	Livestock Disease												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Almora	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Bageshwar	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Chamoli	NR	NR	VLR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Champawat	NR	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Dehradun	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	VLR	NR
Garhwal	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Hardwar	NR	NR	NR	NR	NR	NR	VLR	MR	NR	NR	NR	NR	NR
Nainital	NR	NR	VLR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Pithoragarh	NR	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Rudraprayag	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Tehri Garhwal	VLR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Udham Singh Nagar	NR	NR	VLR	NR	NR	NR	VLR	MR	VLR	NR	NR	NR	NR
Uttarkashi	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR), Very high risk (VHR)

## District wise Livestock Disease forewarning for July 2019: West Bengal

Districts of West Bengal	Livestock Disease												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Bankura	VHR	VLR	VHR	NR	NR	NR	VHR	HR	VHR	VLR	NR	HR	NR
Barddhaman	VHR	VLR	VHR	NR	NR	NR	MR	VHR	VHR	VHR	NR	LR	NR
Birbhum	VLR	NR	HR	NR	NR	NR	HR	HR	VHR	VLR	NR	VHR	NR
Dakshin Dinajpur	NR	VLR	HR	NR	NR	MR	LR	VLR	MR	NR	NR	VLR	NR
Darjiling	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Haora	NR	VHR	VHR	NR	NR	NR	VLR	VLR	VHR	VHR	NR	VHR	VHR
Hugli	VLR	VLR	VHR	NR	NR	NR	VHR	VLR	VHR	VHR	NR	VHR	VHR
Jalpaiguri	VLR	NR	VHR	VLR	NR	NR	HR	HR	VHR	VLR	MR	NR	NR
Koch Bihar	VLR	HR	VHR	NR	NR	NR	VLR	VLR	VLR	VLR	NR	NR	NR
Kolkata	NR	NR	VLR	NR	NR	NR	VLR	VLR	VHR	VLR	NR	HR	NR
Maldah	VLR	VHR	VLR	NR	NR	NR	VLR	VLR	VHR	NR	NR	VHR	NR
Murshidabad	VHR	VHR	VLR	NR	NR	NR	VLR	VLR	VHR	VLR	NR	LR	NR
Nadia	HR	VLR	VHR	NR	NR	NR	VLR	VLR	VHR	VLR	NR	VLR	NR
North Twenty Four Parganas	NR	VLR	VLR	NR	NR	NR	VLR	VLR	HR	HR	NR	VLR	NR
Paschim Medinipur	VLR	NR	VHR	NR	NR	NR	VHR	LR	VHR	VLR	NR	VHR	NR
Purba Medinipur	NR	VLR	VHR	NR	NR	NR	VLR	VLR	VLR	HR	NR	VLR	NR
Puruliya	NR	NR	HR	NR	NR	NR	VLR	HR	VHR	NR	NR	HR	VHR
South Twenty Four Parganas	VLR	NR	MR	VLR	NR	NR	LR	VLR	HR	VHR	NR	MR	NR
Uttar Dinajpur	NR	VLR	VLR	NR	NR	NR	VLR	VLR	MR	NR	NR	VLR	NR

**If vaccination is already been done please ignore the disease forecast for that disease.**

\*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

## State wise Livestock Disease forewarning for July 2019

Sl.No	State Name	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis	Total no.of Diseases events likely to occur
1	Andaman and Nicobar	0	0	0	0	0	3	0	1	0	0	0	0	0	4
2	Andhra Pradesh	2	0	1	0	5	0	0	5	1	0	0	0	0	14
3	Arunachal Pradesh	0	0	0	0	0	2	1	0	0	0	0	0	0	3
4	Assam	0	2	10	0	2	18	7	10	1	1	11	1	0	63
5	Bihar	0	0	1	0	0	0	1	2	1	0	0	0	0	5
6	Chandigarh	0	0	0	0	0	0	0	1	0	0	0	0	0	1
7	Chhattisgarh	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8	Dadra and Nagar Haveli	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9	Daman and Diu	0	0	0	0	0	0	1	0	0	0	0	0	0	1
10	Goa	0	1	0	0	0	0	0	1	0	0	1	0	0	3
11	Gujarat	1	0	0	0	0	0	0	5	1	0	0	0	1	8
12	Haryana	0	0	0	0	0	0	0	0	0	0	0	0	0	0
13	Himachal Pradesh	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14	Jammu and Kashmir	1	0	0	0	1	0	0	0	0	5	0	0	0	7
15	Jharkhand	1	22	6	0	1	23	7	6	7	0	4	20	22	119
16	Karnataka	9	0	12	0	5	0	7	20	6	9	0	0	0	68
17	Kerala	4	4	0	0	0	0	14	5	0	0	2	3	1	33
18	Lakshadweep	0	0	0	0	0	0	0	0	0	0	0	0	0	0
19	Madhya Pradesh	0	1	3	0	0	0	0	7	2	0	1	0	0	14
20	Maharashtra	0	0	0	0	0	0	0	0	2	0	0	0	0	2
21	Manipur	0	0	0	0	0	4	0	1	0	2	5	0	0	12
22	Meghalaya	0	0	2	0	0	0	8	1	0	0	8	0	0	19
23	Mizoram	0	1	0	0	0	0	0	1	0	0	1	0	0	3
24	Nagaland	0	0	0	0	0	0	1	0	0	0	4	0	0	5
25	Nct of Delhi	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	Odisha	2	0	3	0	0	0	3	2	2	2	0	7	1	22
27	Puducherry	0	2	0	0	0	1	0	0	0	0	0	0	0	3
28	Punjab	0	1	0	0	0	0	0	2	0	0	0	1	1	5
29	Rajasthan	0	0	0	0	1	0	0	3	0	0	0	0	1	5
30	Sikkim	0	1	0	0	0	0	0	0	0	0	1	0	0	2
31	Tamil Nadu	5	0	3	0	2	0	2	1	0	0	0	0	0	13
32	Telangana	0	0	0	0	3	0	0	1	0	0	0	0	0	4
33	Tripura	0	2	2	0	0	3	3	2	0	2	2	0	0	16
34	Uttar Pradesh	0	2	0	0	0	5	0	0	1	0	0	1	6	15
35	Uttarakhand	0	0	0	0	0	0	0	0	0	0	0	0	0	0
36	West Bengal	4	4	12	0	0	0	5	5	14	6	0	8	3	61
<b>Total No districts likely to report</b>		<b>29</b>	<b>43</b>	<b>55</b>	<b>0</b>	<b>20</b>	<b>59</b>	<b>60</b>	<b>82</b>	<b>38</b>	<b>27</b>	<b>40</b>	<b>41</b>	<b>36</b>	<b>530</b>

\*Number of predicted disease incidence was summarised considering only High risk and Very high risk (+HR)

## **Andaman and Nicobar**

A total of 3 districts in Andaman and Nicobar are likely to report 2 major livestock diseases i.e., Fasciolosis and Haemorrhagic Septicaemia. Fasciolosis is likely to occur in 3 districts and Haemorrhagic Septicaemia is reported to occur in 1 district i.e., South Andaman.

## **Andhra Pradesh**

A total of 13 districts in Andhra Pradesh are likely to report the 5 major livestock diseases. i.e., Anthrax, Black Quarter, Enterotoxemia, Haemorrhagic Septicaemia and Peste des petits ruminants in which Enterotoxemia and Haemorrhagic Septicaemia is likely to occur in 5 districts and Anthrax in 2 districts. Black Quarter and Peste des petits ruminants are predicted to occur in 1 district i.e., Srikakulam and Krishna respectively.

## **Arunachal Pradesh**

A total of 16 districts from Arunachal Pradesh are likely to report 2 diseases i.e., Fasciolosis and Foot and Mouth Disease. Fasciolosis is likely to occur in 3 districts and Foot and Mouth Disease in 1 district i.e., West Siang.

## **Assam**

A total of 27 districts from Assam are likely to report 10 major livestock diseases i.e. Babesiosis, Black Quarter, Enterotoxemia, Fasciolosis, Foot and Mouth Disease, Haemorrhagic Septicaemia, Peste des petits ruminants, Sheep & Goat pox, Swine Fever and Theileriosis in which 18 districts are prone to Fasciolosis. 11 districts are likely to report Swine Fever and 10 districts are predicted for both Black Quarter and Haemorrhagic Septicaemia diseases. Foot and Mouth Disease is predicted to occur in 7 districts. Babesiosis and Enterotoxemia diseases are likely to occur in 2 districts. Peste des petits ruminants, Sheep & Goat pox and Theileriosis diseases are predicted to occur in Sivasagar, Karbi Anglong and Kamrup districts respectively.

## **Bihar**

A total of 38 districts from Bihar are likely to report 4 major livestock diseases i.e., Black Quarter, Foot and Mouth Disease, Haemorrhagic Septicaemia and Peste des petits ruminants. Haemorrhagic Septicaemia is likely to occur in 2 districts and Black Quarter is predicted to occur in Samastipur district. Foot and Mouth Disease and Peste des petits ruminants diseases are prone to occur in Madhepura and Purba Champaran districts respectively.

## **Chandigarh**

A 1 district i.e., Chandigarh in Chandigarh state is likely to report Haemorrhagic Septicaemia disease.

## **Daman and Diu**

A total of 2 districts from Daman and Diu are likely to report 1 disease i.e., Foot and Mouth Disease in Diu district.

## **Goa**

A total of 2 districts from Goa are likely to report 3 diseases i.e., Babesiosis, Haemorrhagic Septicaemia and Swine fever in North Goa district.

## **Gujarat**

A total of 26 districts from Gujarat are likely to report 4 major livestock diseases i.e., Anthrax Haemorrhagic Septicaemia, Peste des petits ruminants and Trypanosomosis in which Haemorrhagic Septicaemia is reported to predict in 5 districts. Anthrax, Peste des petits ruminants and Trypanosomosis are predicted to occur in Surendranagar, Rajkot and Vadodara districts respectively.

## **Jammu and Kashmir**

A total of 22 districts in Jammu and Kashmir are likely to report 2 major livestock diseases i.e., Anthrax, Enterotoxemia and Sheep & Goat pox. 5 districts are prone to have Sheep & Goat pox and Baramula and Kupwara districts are predicted for occurrence of Anthrax and Enterotoxemia diseases respectively.

## **Jharkhand**

A total of 24 districts in Jharkhand are likely to report 11 major livestock diseases i.e., Anthrax, Babesiosis, Black Quarter, Enterotoxemia, Fasciolosis, Foot & Mouth disease, Haemorrhagic Septicaemia, Peste de pestis ruminants, Swine fever, Theileriosis and Trypanosomosis. 23 districts are predicted to have Fasciolosis. Babesiosis and Trypanosomosis diseases are reported to occur in 22 districts. Theileriosis disease is likely to report in 20 districts and 7 districts are reported for occurrence of Foot & Mouth disease and Peste de pestis ruminants diseases. Black Quarter and Haemorrhagic Septicaemia diseases are likely to report in 6 districts. Swine fever disease is

predicted to occur in 4 districts. Anthrax and Enterotoxemia diseases are likely to report in Purbi Singhbhum and Dumka districts respectively.

### **Karnataka**

A total of 30 districts in Karnataka are likely to report 7 major livestock diseases i.e. Anthrax, Black Quarter, Enterotoxemia, Foot & Mouth disease, Haemorrhagic Septicaemia, Peste de pestis ruminants and Sheep & Goat pox. 20 districts are likely to prone for Haemorrhagic Septicaemia and 12 districts for Black Quarter. Anthrax and Sheep & Goat pox diseases are predicted to occur in 9 districts. Foot & Mouth disease and Peste de pestis ruminants diseases are likely to occur in 7 and 6 districts respectively. Enterotoxemia disease is likely to occur in 5 districts.

ICAR



### **Kerala**

A total of 14 districts in Kerala are likely to report 7 major livestock diseases i.e. Anthrax, Babesiosis, Foot & Mouth disease, Haemorrhagic Septicaemia, Swine fever, Theileriosis and Trypanosomosis. 14 districts are prone to Foot & Mouth disease and 5 districts are likely to have Haemorrhagic Septicaemia. Anthrax and Babesiosis diseases are reported to occur in 4 districts. Theileriosis and Swine fever diseases are likely to occur in 3 and 2 districts respectively. Trypanosomosis disease is reported to predict in Thrissur district.

### **Madhya Pradesh**

A total of 50 districts in Madhya Pradesh are likely to have 5 major livestock diseases i.e., Babesiosis, Black Quarter, Haemorrhagic Septicaemia, Peste de pestis ruminant and Swine fever. 7 districts are prone to have Haemorrhagic Septicaemia and Black Quarter is likely to predict in 3 districts. Peste de pestis ruminant is predicted in 2 districts. Babesiosis and Swine fever diseases are reported to occur in Sagar and Shivpuri districts respectively.

### **Maharashtra**

A total of 36 districts in Maharashtra are likely to report 1 major livestock disease i.e Peste de pestis ruminant in 2 districts.

### **Manipur**

A total of 9 districts in Manipur are likely to report 4 major livestock disease i.e., Fasciolosis, Haemorrhagic Septicaemia, Sheep & Goat pox and Swine fever. Swine fever and Fasciolosis are

predicted to occur in 5 and 4 districts respectively. Sheep & Goat pox disease is likely to predict in 2 districts. Haemorrhagic Septicaemia disease is likely to predict in 1 district i.e., Ukhrul district.

### **Meghalaya**

A total of 11 districts in Meghalaya are likely to have 4 major livestock diseases i.e., Black Quarter, Foot and Mouth Disease, Haemorrhagic Septicaemia and swine fever. 8 districts are prone to have Foot and Mouth Disease and swine fever diseases. 2 districts are likely to have Black Quarter Disease. Haemorrhagic Septicaemia disease is likely to report in 1 district i.e., West Garo Hills.

### **Mizoram**

A total of 8 districts in Mizoram are likely to report 3 major livestock diseases i.e., Babesiosis, Haemorrhagic Septicaemia and swine fever. Babesiosis is likely to report in Aizawl district. Haemorrhagic Septicaemia and Swine fever are predicted to occur in 1 district i.e., Champhai district.

### **Nagaland**

A total of 11 districts in Nagaland are likely to report 2 major livestock diseases, i.e. Foot and Mouth disease and swine fever in which 4 districts are predicted for swine fever disease and Foot and Mouth disease is likely to occur in Zunheboto district.

### **Odisha**

A total of 29 districts in Odisha are likely to report 8 major livestock diseases, i.e. Anthrax, Black Quarter, Foot and Mouth Disease, Haemorrhagic Septicaemia, Peste de pestis ruminants, Sheep & Goat pox, Theileriosis and Trypanosomosis. Theileriosis disease is prone to occur in 7 districts. Black Quarter and Foot and Mouth disease are likely to occur in 3 districts. Anthrax, Haemorrhagic Septicaemia, Peste de pestis ruminants, Sheep & Goat pox diseases are likely to predict in 2 districts each. Trypanosomosis disease is likely to predict in Cuttack district.

### **Puducherry**

A total of 4 districts in Puducherry likely to have 2 major livestock diseases i.e., Babesiosis 2 districts and Fasciolosis in Yanam district.

## **Punjab**

A total of 20 districts in Punjab are likely to report 4 major livestock diseases, i.e. Babesiosis, Haemorrhagic Septicaemia, Theileriosis and Trypanosomosis. 2 districts have a threat for Haemorrhagic Septicaemia disease. Babesiosis and Theileriosis diseases are likely to occur in Sangrur and Hoshiarpur districts respectively. Trypanosomosis disease is likely to predict in Patiala district.

## **Rajasthan**

A total of 32 districts in Rajasthan are likely to report 3 major livestock diseases, i.e., Enterotoxemia, Haemorrhagic Septicaemia and Trypanosomosis. 3 districts have a threat for Haemorrhagic Septicaemia. Enterotoxemia and Trypanosomosis diseases are likely to occur in Churu and Udaipur districts respectively.

## **Sikkim**

A total of 4 districts in Sikkim are likely to report 2 major livestock diseases, i.e., Babesiosis and swine fever. Babesiosis and swine fever diseases are predicted to occur in south district and north district respectively.

## **Tamil Nadu**

A total of 31 districts in Tamil Nadu are likely to report 5 major livestock diseases i.e., Anthrax, Black Quarter, Enterotoxemia, Foot and Mouth Disease and Haemorrhagic Septicaemia. Anthrax disease is likely to occur in 5 districts and Black Quarter in 3 districts. Enterotoxemia and Foot and Mouth Disease are likely to predict in 2 districts. Haemorrhagic Septicaemia is likely to predict in one district i.e., Thiruvallur.

## **Telangana**

A total of 10 districts in Telangana are likely to predict for one disease i.e., Enterotoxemia in 3 districts.

## **Tripura**

A total of 4 districts in Tripura are likely to have 7 diseases i.e., Babesiosis, Black Quarter, Fasciolosis, Foot and Mouth Disease, Haemorrhagic Septicaemia, Sheep & Goat pox and swine fever. Fasciolosis and Foot and Mouth Disease diseases are likely to predict in 3 districts.

Babesiosis, Black Quarter, Haemorrhagic Septicaemia, Sheep & Goat pox and swine fever diseases are predicted to occur in 2 districts.

### **Uttar Pradesh**

A total of 83 districts in Uttar Pradesh are likely to report 5 major livestock diseases i.e., Babesiosis, Fasciolosis, Theileriosis, Peste de pestis ruminants and Trypanosomosis. 6 districts are reported for having prone for Trypanosomosis disease. 5 districts are predicted to occur Fasciolosis. Babesiosis is likely to occur in 2 districts. Peste de pestis ruminants and Theileriosis are likely to predict in Bareilly and Ballia respectively.



### **West Bengal**

A total of 19 districts in West Bengal are likely to report 9 major livestock diseases i.e., Anthrax, Babesiosis, Black Quarter, Foot and Mouth Disease, Haemorrhagic Septicaemia, Peste des petits ruminants, Sheep & Goat pox, Theileriosis and Trypanosomosis. 14 districts are prone to Peste de pestis ruminants and 12 districts are reported for Black Quarter. Theileriosis and Sheep & Goat pox diseases are predicted to occur in 8 and 6 districts respectively. Foot and Mouth Disease and Haemorrhagic Septicaemia are predicted to occur in 5 districts. 4 districts are reported for occurrence of Anthrax and Babesiosis. Trypanosomosis likely to report in 3 districts.



### iii) Diseases, Species affected, clinical signs and its preventive measures.

Sl No.	Disease	Species Affected	Clinical Signs	Preventive Measures
1	Anthrax	Most of the mammals and ruminants are highly susceptible. Pigs and Horses are moderately susceptible. Carnivores are relatively resistant.	Convulsion and sudden death with oozing of blood from natural orifices such as rectum and nose prior to death. Occasionally oedema develops in the throat and shoulder over a period of one week before death.	Ring vaccination and report of disease is advised. Vaccination to be done in consultation with the veterinarians and as decided by state animal husbandry authorities. Strict biosecurity measures May be followed. Carcass May be disposed by deep burying covered with lime powder. Contaminated area May be disinfected with 4% formalin or 10% caustic soda. Grazing area May be restricted.
2	Babesiosis	Cattle. Cross breeds are more susceptible.	High temperature, jaundice like symptoms, yellowish mucosal membrane of eye, rectum and coffee colour urine.	Periodical application of acaricides in and around the animal shed and on the animals. For therapeutic application, di-aminizine or imidocarb can be useful.
3.	Black Quarter (BQ)	Common disease for cattle and sheep but occasionally goats and pigs also suffer from the disease.	High fever and lameness followed by swelling in the neck, shoulder, lumbar, gluteal and sacral regions. Skin over the affected area become dark and crepitant on palpation. Loss of feed intake, colic, lateral recumbency, dyspnoea and death.	Affected animals May be treated with suitable antibiotics. Vaccination to be done in consultation with the veterinarians and as decided by state animal husbandry authorities. Strict biosecurity measures May be followed. Grazing area May be restricted. Carcass May be disposed hygienically.
4.	Bluetongue(BT)	Sheep are more susceptible than goats.	Fever, swelling of face, neck, eyelids respiratory distress, nasal discharge, Salivation, necrotic ulcers on tongue, dental pad, gum, lips hyperaemia of muzzle and May bleed at muco-	Vector control using insecticides and good water management. Vaccination of susceptible animals preferably in the month of May. Do not shear


			cutaneous junction. Affected tongue May become swollen, cyanotic and purple blue in colour – ‘blue tongue’.	sheep during winter months. Restriction in animal movement, segregation of affected animals and symptomatic treatment. Strict bio security measures.
5.	Enterotoxemia (ET)	Common disease of sheep and goats especially among the young animals.	Dullness, opisthotonus, convulsions, coma and sudden death. Affected adult sheep, which survive for several days May show diarrhoea and staggering.	Affected animals May be treated with suitable antibiotics. Vaccination to be done in consultation with the veterinarians and as decided by State Animal Husbandry Authorities. Strict biosecurity measures May be followed. Carcass May be disposed hygienically. Grazing area to be restricted, stall fed, vitamins and probiotics May be provided.
6.	Fasciolosis	Cattle, buffalo, sheep and goats.	Progressive anaemia, pale mucous membrane, sub-mandibular oedema (bottle jaw), loss of appetite, weakness in movement, isolated from flock while grazing, loss in production.	The animal should not be allowed to graze in water stagnant field or submerged fodder should not be given directly to the animals. The sub-merged fodder can be processed through hay/silage preparation, where metacercaria will die through the process. The affected animals can be treated by Carbon tetrachloride/ Rafoxanide/ Nitroxynil/ Niclofolan /Closantel/Oxyclozanide, under Veterinarian & under strictsupervision.
7.	Foot and Mouth Disease(FMD)	Cattle, buffalo, sheep, goats and pigs are often affected domesticated species, but the disease is more severe in cattle and pigs.	Fever, loss of feed intake, drop in milk production, drooling of saliva like ropey string, vesicles develop on the tongue, lips, gums, and palate and eventually rupture. Concurrent to oral lesions, vesicles also appear in inter	Regular vaccination and seromonitoring. Disinfection with sodium carbonate (4%) or 10% washing soda and strict biosecurity measures to be followed and animal

			digital skin and coronary band of the feet. The animal May open and close its mouth with a characteristic smacking sound. Sheep and goats May show lameness. In pigs, lesions May be seen on snout and also on the feet.	movement May be controlled.
8.	Haemorrhagic septicaemia (HS)	Common disease for cattle and buffaloes but also occur among other species such as pigs, sheep, goats and many wild animals.	The disease starts with high fever, respiratory distress and haemorrhages may be seen on the mucous membranes. There is lacrymation, nasal discharge, drop in milk production and anorexia. As the disease progress ear droop, animals are prostrated with cyanosis of mucous membranes. There May be oedema along the head, neck, thorax, vulva and anal areas. Sudden death occurs within few hours of clinical signs.	Affected animals May be treated with suitable antibiotics. Vaccination to be done in consultation with the veterinarians and as decided by state animal husbandry authorities. Strict biosecurity measures May be followed. Carcass May be disposed hygienically and stress factors May be reduced by good animal husbandry practices.
9.	Peste des Petits Ruminants(PPR)	Goats and sheep are most affected domestic animals.	Fever, nasal and ocular discharge, respiratory distress, necrotic lesions in buccal mucosa, gum, dental pad, palate, tongue and diarrhoea. Animals May die because of dehydration and pneumonia.	Vaccination of susceptible animals of above 3 months old age. Restriction on animal movement, strict biosecurity measures and proper disposal of carcass.
10.	Sheep & Goat pox (S & G pox)	Sheep and Goats	Respiratory distress and pock lesions over the non-hairy parts of body, more common in teat, udder, scrotum, head, neck, ear, perineum, inner aspect of thighs and under tail.	Vaccination of susceptible animals of above 3 months old age. Symptomatic treatment of affected animals. Restriction on animal movement, strict biosecurity measures and proper disposal of carcass.
11.	Swine Fever (SF)	Pigs	Fever, Conjunctivitis, purplish discolouration of snout, ears, abdomen, inner side of the legs and staggering gait.	Vaccination of susceptible animals. Restriction on animal movement, strict biosecurity measures and proper disposal of carcass


12.	Theileriosis	Large Ruminants. Cross bred cattle are more vulnerable.	High temperature, yellowish eye, sometime eye May be heavily swollen, icteric mucosal membrane of rectum, dark yellowish urine, sometime May reach to coffee colour. Antibiotic is of no use to check fever.	Periodical application of acaricides in and around the animal shed and on the animals. Vaccination in endemic areas with <i>Theileria annulata</i> schizont cell culture vaccine. Therapeutic application of buparvaquone can be useful in both early and advanced stages of the infection.
13.	Trypanosomosis	Domestic and wild carnivores and herbivores including cattle, buffalo, horse, donkey, camel, dog and cats. Buffaloes are known as carriers.	Fluctuating high fever which is not responded by antibiotic, swollen lymph gland, chronic emaciation and weakness, loss of appetite, gradual loss of production.	The affected animal should be treated with diaminazine compounds or chloride and sulphate salts of quinapyramine. Periodical spray of insecticide in and around animal shed to remove the flies.




#### iv) Livestock Risk Prediction - Disease forewarning Maps




Risk Prediction of Babesiosis for the month of July 2019




Risk Prediction of Black quarter for the month of July 2019




Risk Prediction of Bluetongue for the month of July 2019




Risk Prediction of Enterotoxemia for the month of July 2019




Risk Prediction of Fascioliasis for the month of July 2019




Risk Prediction of Foot and mouth disease for the month of July 2019




Risk Prediction of Haemorrhagic septicaemia for the month of July 2019




Risk Prediction of Peste des petits ruminants for the month of July 2019




Risk Prediction of Sheep and Goat pox for the month of July 2019




Risk Prediction of Swine fever for the month of July 2019



Risk Prediction of Theileriosis for the month of July 2019



Risk Prediction of Trypanosomiasis for the month of July 2019



## 6. Post prediction Validation

**DIMAPUR | Publish Date: 4/14/2019 AH&VS TEAM VISITS AFFECTED AREAS UNDER MEDZIPHEMA,**  
**Source: <http://www.nagalandpost.com>**

Following reports of a good number of buffaloes dying in a recent outbreak of suspected Haemorrhagic septicaemia (HS), a team from Animal Husbandry and Veterinary Services (AH&VS) department visited the affected areas under Medziphema on April 12. (Haemorrhagic septicaemia is a contagious bacterial disease that affects cattle and water buffaloes with a high mortality rate in infected animals).

AH&VS, deputy director & principal investigator, AICRP-ADMAS, Dr S. Amenla Walling, in a press release reported that the team consisted of the department's director, Dr Temsumeren, along with additional director, Dr. Budhi Lama, and other officials from the department. The press release added that the area is prone to such kind of disease outbreaks and the department officials reminded villagers to cooperate with the department and vaccinate their animals against such outbreaks. The team told the villagers that even an outbreak can be contained more effectively if villagers report the matter on time to the nearest Veterinary Health Centre.



The villagers admitted in the meeting that they had not reported the recent outbreak to the department initially. The director appreciated the CVO Dimapur and his Rapid Response Team for their quick action after receiving information and for remaining stationed in the outbreak area to date. Free medicine was also distributed among the villagers. The department, through the press release also appealed to everyone to report such matters to the nearest Veterinary Health Centre (so that qualified staff may intervene quickly), instead of publicizing it in other ways. It stated that the department is prepared to extend services to any outbreak of diseases in animals to control such things.

The press release also pointed out that to control the recent outbreak, the department had to direct its officials to make their own transport arrangements to go to the affected areas because the State Election department did not consider an appeal to exempt the department's emergency duty vehicle from election duty.

Meanwhile, when contacted, Dr S. Amenla Walling told Nagaland Post that it is difficult to say if the disease has been fully contained since its free grazing season for the animals, but the department is doing its best under the circumstances.

### NIVEDI PREDICITONS

Districts of Nagaland	HS prediction for February 2019	HS prediction for March 2019	HS prediction for April 2019
Peren	VLR	VLR	VHR
Dimapur	VLR	NR	HR
Kohima	VLR	VLR	NR
Wokha	VLR	NR	VLR



## 7. Launch of Mobile Android app. & link to download

Livestock forewarning application (LDF) can be downloaded following the link provided: [http://www.nivedi.res.in/android\\_nadres/LDF.apk](http://www.nivedi.res.in/android_nadres/LDF.apk). Further launch of LDF application was done, the news provided below.

The collage includes the following news items:

- INDIAN EXPRESS**: "Mobile app forewarning of livestock diseases launched".
- krishijagran.com**: "Livestock Disease Forewarning - Mobile Application(LDF-Mobile App)".
- the pioneer**: "NEW APP TO FOREWARNING OF DISEASES IN FARM ANIMALS".
- Business Standard**: "Livestock Disease Forewarning - Mobile Application (LDF-Mobile App) launched".
- Outlook**: "Shri Radha Mohan Singh launches Livestock Disease Forewarning - Mobile Application (LDF-Mobile App)".
- Dairy Times**: "Shri Radha Mohan Singh launches Livestock Disease Forewarning - Mobile Application (LDF-Mobile App)".

Radha Mohan Singh on Twitter: "Developed by #ICAR-NIVEDI, this app works on Android smart-phones and takes up 2.5 MB space."

## 8. Appendix

### a) R Code

```
#pars month_number=8; year_number=2006; current_year=2017;  
  
nadres_func=function (current_year, year_number, month_number)  
{  
  args = commandArgs(trailingOnly=TRUE)  
  
  if (length(args)<3) {  
    stop("Correct number of arguments must be supplied", call.=FALSE)  
  }  
  
  current_year=args[1]  
  year_number=args[2]  
  month_number=args[3]  
  
  df_total<-NULL  
  
  month_name=data.frame(  
    month=c(1:12),  
    month_names=c("February","February","March","April","May","October","October","September","September","O  
ctober","November","December"))  
}  
  
ss<-fread(file="NADRES.csv",header=T,check.names = F)  
  
col_pars=names(ss)  
  
vars= paste(col_pars[7:ncol(ss)],collapse = "+")  
  
options(verbose = F)  
  
for(disease in c(8,10,11,12,24,31,35,37,48,60,62,65,70,72,79))  
{  
  # disease=8  
  
  rs<-dbSendQuery(mydb,"SELECT index_state.state_name,index_state.state_id,index_district.district_id,  
index_district.district_name, year_list.year, outbreak_data_final.month,  
ls_sp_index.species_name,disease_master.disease_id, disease_master.disease_name,  
outbreak_data_final.number_of_outbreaks, outbreak_data_final.number_susceptible,  
outbreak_data_final.number_of_attacks, outbreak_data_final.number_of_deaths
```

```

FROM ls_sp_index INNER JOIN (year_list INNER JOIN (disease_master INNER JOIN (index_district INNER
JOIN (index_state INNER JOIN outbreak_data_final ON index_state.state_id = outbreak_data_final.state_id) ON
index_district.district_id = outbreak_data_final.district_id) ON disease_master.disease_id =
outbreak_data_final.disease_id) ON year_list.year = outbreak_data_final.year) ON ls_sp_index.species_id =
outbreak_data_final.species_id; ")

data = fetch(rs, n=-1)

# year change

data<-subset(data,data$year>=year_number&data$disease_id==disease)

df<-sqldf("SELECT
state_id,state_name,district_id,district_name,disease_id,disease_name,month,sum(number_of_outbreaks)as
outbreak FROM data GROUP BY
state_id,district_id,state_name,district_name,month,disease_id,disease_name",drv="SQLite")

ss1<-subset(ss,ss$disease_id==disease)

attach(ss1,warn.conflicts = F)

attach(df,warn.conflicts = F)

dd<-merge(ss1, df, by = c("state_id","district_id","disease_id","month"),all.x=TRUE)

attach(dd,warn.conflicts = F)

out<-data.frame(outbreak)

out<-ifelse(outbreak>=1,1,0)

out[is.na(out)]<-0

final<-cbind(dd,out)

final1<-final[which(final$disease_id==disease),]

cat("For disease: ",as.character(unique(ss1[,"disease_name"])), "\n")

ncs= ncol(final1)-5

temp = data.frame(final1[,8:ncs])

for(i in 1:ncol(temp)){

temp[is.na(temp[,i]), i] <- mean(temp[,i], na.rm = TRUE)

}

final2<-
cbind(final1$state_id,final1$state_name.x,final1$district_id,final1$district_name.x,final1$disease_id,final1$diseas
e_name.x,final1$out,final1$month,temp)

setnames(final2,old=c("final1$state_id","final1$state_name.x","final1$district_id","final1$district_name.x","final1
$disease_id","final1$disease_name.x","final1$out","final1$month"),new=c("state_id","state_name","district_id",
"district_name","disease_id","disease_name","out","month"))

```



```

formula=paste("out ~",vars)

as.formula(formula)

model<-glm(formula,data = final2, family = binomial(link="logit"),maxit=20)

new<-data.frame(final2[,8:ncol(final2)])

prediction<-predict(model,type="response")

n2=randomForest(as.formula(formula),final2)
prediction_rf<-predict(n2,type="response")

gbm_model=gbm.step(data=final2, gbm.x = 8:ncol(final2), gbm.y = 7, family = "bernoulli", tree.complexity = 1,
learning.rate = 0.01,
    bag.fraction = 0.5, n.trees = 5,keep.fold.fit=T,tolerance.method="fixed"
    , step.size = 5,n.folds = 10)
prediction_gbm<-predict(gbm_model,n.trees=gbm_model$gbm.call$best.trees,type="response")
prediction=numeric()
for (i in 1:length(prediction_gbm)) {
  # if(prediction_glm[i]>prediction_rf[i])
  # {
  #   if(prediction_glm[i]>prediction_gbm[i])
  #   {
  #     prediction[i]=prediction_glm[i]
  #   }
  #   if(prediction_glm[i] >= prediction_gbm[i] && prediction_glm[i] >= prediction_rf[i])
  #   {
  #     prediction[i]=prediction_glm[i];
  #   }
  #
  if(prediction_gbm[i] >= prediction_glm[i] && prediction_gbm[i] >= prediction_rf[i])
  {
    prediction[i]=prediction_gbm[i];
  }

  if(prediction_rf[i] >= prediction_glm[i] && prediction_rf[i] >= prediction_gbm[i]) {
    prediction[i]=prediction_rf[i];
  }
}
summary(prediction)
vv<-round(prediction,2)

df1<-cbind(final2,vv)

df_total<-rbind(df_total,df1)

gc()

}

f=function(m){
  if(m<=0.0) i=1
  else if(m>=0.0 && m<=0.20) i=2
  else if(m>=0.21 && m<=0.40) i=3
  else if(m>=0.41 && m<=0.60) i=4
}

```

```

else if(m>=0.61 && m<=0.80) i=5
elsei=6
}

df_total$cate=factor(mapply(f,df_total$vv),levels=1:6,labels=c","","","","MR","","HR"))

write.csv(df_total,"nadres_outbreak.csv")

##### ACCURACY

df_total=read.csv("nadres_outbreak.csv",header = T)

dir.create(path = paste(month_name[month_number,2],current_year))

df_poa=df_total

df_poa$cate=factor(mapply(f,df_poa$vv),levels=1:6,labels=c(0,0,0,0,1,1))

df_poa=df_poa[which(df_poa$month==month_name[month_number,1]),]

df_p=df_poa[,c("disease_name","out","cate")]

df_acc=cbind(data.frame(c(1:ow(df_tot_res))),data.frame(df_tp_tn[,1]),(df_tp_tn[,2]/df_tot_res[,2])*100)

df_acc=setNames(df_acc,c("No","Disease","Accuracy"))

print(df_acc)

dis_acc=paste(paste(month_name[month_number,2]," ",current_year,"/",sep = ""), "Disease Accuracy",
" ",month_name[month_number,2]," ",current_year,".csv",sep="")

write.csv(df_acc,dis_acc,row.names = F)

##### PLOT

i=1

plot_dir=paste(paste(month_name[month_number,2],"",
",current_year,"/",sep=""),month_name[month_number,2]," ",current_year," N",sep="")

dir.create(path = plot_dir)

disease = c(8,10,11,12,31,35,37,48,60,65,70,72,79)

while(i<=length(disease))

{
  kar=readOGR(dsn = "1shp/2011_Dist.shp",verbose = FALSE)

  cols=as.character(unique(df_total[df_total$disease_id==disease[i],"disease_name"]))

  df_disease=df_total[which(df_total$month==month_name[month_number,1] & df_total$disease_id==disease[i]),]

  df_disease=df_disease[,c(2:5,(ncol(df_disease)-1))]
```

```

df_disease=setNames(df_disease,c("ST_CEN_CD","state_name","DT_CEN_CD","district_name","vv"))

kar@data=merge(data.frame(kar@data),data.frame(df_disease),by=c("ST_CEN_CD","DT_CEN_CD"),all.x=T)

kar$vv[is.na(kar$vv)]<-0

#View(kar@data)

colours<-c("#FFFFFF","#FFFF00","#FFC1C1","#FF7150","#FF8500","#FF0000")

kar$lb=factor(mapply(f,kar$vv),levels=1:6,labels=c("No Risk / No Data","Very Low
Risk","LowRisk","MediumRisk","HighRisk","Very High Risk"))

cols=gsub("& ", "and",cols)

disname= gsub("\\" , " ",cols)

cat("Plot for disease:",disname,"\n")

plot_loc=paste(plot_dir,"/",disname,"/",sep="")

dir.create(plot_loc)

file_name=paste(plot_loc,disname,".png",sep="")

plot_title= paste(disname," risk prediction(",month_name[month_number,2]," ",current_year,")",sep="")

png(file_name)

print(spplot(obj = kar,c("lb"),col.regions=colours,main = plot_title,scales=list(draw = TRUE)))

dev.off()

i=i+1

```



## b) Abbreviations

NADRES : National Animal Disease Referral Expert System

R : R environment for statistical computing

BQ : Black Quarter

BT : Blue tongue

ET : Enterotoxemia

FMD : Foot and Mouth disease

HS : Haemorrhagic Septicaemia

PPR : Peste des petits ruminants

S&G POX : Sheep and Goat pox

SF : Swine Fewer

hPa : Hectopascals

NR : No risk/No data available

VLR : Very low risk

LR : Low risk

MR : Moderate risk

HR : High risk

VHR : Very high risk





हर कदम, हर डगर  
किसानों का हमसफर  
भारतीय कृषि अनुसंधान परिषद

*Agri search with a Human touch.*



ICAR-National Institute of Veterinary Epidemiology and Disease Informatics (ICAR\_NIVEDI),

P. B. No.6450, Yelahanka, Bengaluru-560064

Phone: +91-80-23093111, Fax: +91-80-23093222, E-mail: director.nivedi@icar.gov.in