

**ICAR-National Institute of Veterinary Epidemiology and Disease Informatics
(ICAR-NIVEDI)**

October 2017, Volume 5, Issue 10



LIVESTOCK DISEASE FOREWARNING BULLETIN- December 2017

(SIMPLIFIED SOLUTION! MAGNIFIED OPPORTUNITY!)

Published By: Director
ICAR-NIVEDI



Prepared By: Dr. K. P. Suresh
Dr. Divakar Hemadri
Dr. S.S. Patil



ICAR



Disclaimer

The forewarnings are based on the retrospective disease data available in the NADRES database. Hence, for those states wherein data is limited/less, the forewarning may not be realistic. Further the forewarning will not take into consideration the control measures that are *in situ*.

Acknowledgement

We would like to acknowledge the constant support and inspiration from honourable Secretary, DARE & DG, ICAR, Government of India, New Delhi.

We would like to express sincere everlasting gratitude to honourable Deputy Director-General (Animal Science) for his constant encouragement and guidance.

We would also like to express sincere gratitude to Department of Animal Husbandry, Dairying and Fisheries, Government of India for providing the livestock population data for preparation of this bulletin.

Animal Husbandry Departments of state governments and also AICRP on ADMAS centers are gratefully acknowledged for the timely report of disease outbreak data. We are thankful to all the scientific and technical staff of ICAR-NIVEDI for their feedback and support.

Furthermore, we would also like to acknowledge with much appreciation, the crucial role of Scientist Dr. Siju Susan Jacob and SRF/YP Latha Gopal Singh, Dheeraj.R, Rashmi R. Kurli, Mainak Mondal and Sandip Santra in preparation of this report.

(Dr. Parimal Roy)

Project Coordinator, AICRP on ADMAS & Director, ICAR-NIVEDI.

Contents

1. About the bulletin..... 1

2. Forewarning Methodology..... 2

I) Materials..... 2

II) Method. 2

3. Accuracy of Prediction. 3

4. Forewarning of livestock disease for the month of December 2017 4

i) District wise Livestock Disease forewarning:..... 4

ii) State wise Livestock Disease forewarning for December 2017 50

iii) Diseases, Species affected, clinical signs and its preventive measures....56

iv) Livestock Risk Prediction - Disease forewarning Maps60

Appendix 73

A. R Code..... 73

B. Abbreviations 79

1. About the bulletin...

Livestock sector also plays a critical role in the welfare of India's rural population. This enterprise provides a flow of essential food products, draught power, manure, employment, income, and export earnings. As it is an important component in poverty alleviation programmes, continuous emphasis is being laid on this sector for enhancing the quality of the primary and secondary products in international market, which in turn demands safe animal health for better products. Therefore, livestock development programmes cannot succeed unless a well-organized animal health service is built up and protection of livestock against diseases and pests particularly against the deadly infections is assured.

India has achieved eradication of rinderpest (RP), CBPP, AHS and Dourine. However, there are several other infectious and non-infectious diseases prevailing in the country causing huge economic loss annually. Prevention, control and eradication of the animal diseases need a thorough understanding of the epidemiology as well their economic impact.

National Institute of Veterinary Epidemiology and Disease Informatics (NIVEDI) has the mandate to carry out research activities in the area of veterinary epidemiology and disease informatics. With the eradication of RP successfully, India has not only proved its ability to face the challenges, but also to succeed, despite various limitations. Similar efforts are needed to control and eradicate the diseases like FMD, PPR, Brucellosis, CSF, BT, HS etc., which cause huge economic loss annually to the livestock industry. To this end, ICAR-NIVEDI has identified 13 priority diseases, based on the past incidence patterns and has built a strong database of these diseases. The database, which is backbone of the National Animal Disease Referral Expert System (NADRES), is used for providing monthly livestock disease forewarning, which is compiled in this monthly bulletin to alert the animal husbandry departments, both at the National/state level, to take appropriate control measures. We hope users/stakeholders find this bulletin useful in their quest to control livestock diseases.

2. Forewarning Methodology

I) Materials.

Livestock disease data

Previous 10 years livestock disease outbreak data retrieved from the NADRES database linked with Risk factors data.

Livestock population data

District wise livestock population data from 19th Livestock census (2012)

Meteorological data

Variables such as precipitation (mm/month), pressure (millibar), relative humidity(%), sea level pressure(millibar), minimum temperature ($^{\circ}\text{C}$), maximum temperature($^{\circ}\text{C}$), wind speed(m/s), vapour pressure (hPa), soil moisture(%), perceptible water(mm), potential evaporation transpiration(mm/day) and cloud (%) were extracted from NCEP-National centre environmental prediction/IMD-Indian meteorological Database/NICRA-National Innovation Climate Resilient Agriculture and other sources for the past five years. Monthly average for the past five years have been calculated and used.

Remote sensing data

Remote sensing variables such as NDVI-Normalised difference vegetation index, EVI- Enhanced vegetation index and LST - Land surface temperature were calculated using MODIS LANDSAT/IRS satellite images for the past five years. Monthly average for the past five years have been calculated and used. Details of the parameters are tabulated below.

SDS Layer Name	Resolution	Description	Units	Data Type	Scaling Factor
500m_16_days_NDVI	500 sq. m	16 day NDVI average	NDVI	16-bit signed integer	0.0001
500m_16_days_EVI	500 sq. m	16 day EVI average	EVI	16-bit signed integer	0.0001
LST_Day_1km	1 sq. km	Day Land Surface Temperature	Kelvin	16-bit unsigned integer	0.02
Lai_1km	1 sq. km	Leaf Area Index	m ² plant/m ² ground	8-bit unsigned integer	0.1

II) Method.

Disease outbreak was predicted by Generalised Linear Model (Logistic Regression) from the master chart containing the above parameters using a R programme and the probability of disease outbreak was categorised in 6 risk levels- No risk (NR), Very low risk (VLR), Low

risk (LR), Moderate risk (MR), High risk (HR) and Very high risk (VHR) for enabling the stake holders to take appropriate control measures by suitably allocating available resources.

Given below is the probability distribution of risk interpretations.

S. No.	Probability of risk	Interpretation
1	0	No risk/No or inadequate data
2	0-0.20	Very low risk
3	0.21-0.40	Low risk
4	0.41-0.60	Moderate risk
5	0.61-0.80	High risk
6	0.8-1.0	Very high risk



3. Accuracy of Prediction.

Serial No.	Diseases	Accuracy (%)
1.	Anthrax	95.52
2.	Babesiosis	96.14
3.	Black Quarter	92.43
4.	Bluetongue	97.99
5.	Enterotoxemia	95.98
6.	Fasciolosis	97.06
7.	Foot and mouth disease	86.72
8.	Haemorrhagic septicaemia	90.58
9.	Peste des petits ruminants	90.12
10.	Sheep & Goat pox	95.52
11.	Swine fever	95.37
12.	Theileriosis	96.60
13.	Trypanosomosis	96.45

- Formula Used:** The Accuracy of disease prediction was calculated using the formula.

$$\frac{TP+TN}{Total} * 100$$

TP-True Positive Observations, TN-True Negative Observations, Total- Total observations.

- Internal Accuracy was performed using 10 years of data. Accuracy obtained was > 90% except Foot and mouth disease (86.72%).

4. Forewarning of livestock disease for the month of December 2017

i) District wise Livestock Disease forewarning:

District wise Livestock Disease forewarning for December 2017: Andaman and Nicobar

Districts of Andaman and Nicobar	Livestock Diseases												
	Anth rax	Babes iosis	BQ	BT	ET	Fasci olosis	FMD	HS	PPR	S&G Pox	SF	Theile riosis	Trypano somosis
Nicobars	NR	NR	NR	NR	NR	VHR	NR	NR	NR	NR	NR	NR	NR
North & Middle Andaman	NR	NR	NR	NR	NR	VHR	NR	NR	NR	NR	NR	NR	NR
South Andaman	NR	NR	NR	NR	NR	VHR	NR	NR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

District wise Livestock Disease forewarning for December 2017: Andhra Pradesh

Districts of Andhra Pradesh	Livestock Diseases												
	Anth rax	Babes iosis	BQ	BT	ET	Fasci olosis	FMD	HS	PPR	S&G Pox	SF	Theile riosis	Trypano somosis
Anantapur	LR	NR	MR	MR	VHR	VLR	VLR	VHR	VHR	VHR	NR	NR	NR
Chittoor	VHR	NR	MR	LR	VHR	NR	MR	MR	HR	VHR	NR	NR	NR
East Godavari	NR	NR	MR	VLR	LR	NR	HR	VHR	LR	HR	NR	NR	NR
Guntur	LR	NR	NR	HR	MR	NR	HR	HR	MR	MR	NR	NR	NR
Krishna	NR	NR	NR	VLR	HR	NR	LR	HR	HR	VHR	NR	NR	NR
Kurnool	VHR	NR	LR	LR	VHR	VLR	LR	MR	VHR	HR	NR	NR	NR
Prakasam	HR	NR	VLR	HR	HR	VLR	VLR	VHR	VHR	VHR	NR	NR	NR
Sri Potti Sriramulu Nellore	VHR	NR	LR	VHR	HR	NR	LR	VHR	HR	VHR	NR	NR	NR
Srikakulam	LR	NR	LR	VLR	LR	NR	VHR	VLR	LR	MR	NR	NR	NR
Visakhapatnam	VLR	NR	VLR	NR	LR	NR	MR	VHR	MR	MR	NR	NR	NR
Vizianagaram	VLR	NR	VLR	VLR	LR	NR	VHR	LR	LR	MR	NR	NR	NR
West Godavari	VLR	NR	LR	NR	VHR	NR	LR	HR	HR	HR	NR	NR	NR
Y.S.R.	VHR	NR	NR	LR	VHR	NR	MR	VHR	VHR	VHR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

District wise Livestock Disease forewarning for December 2017: Arunachal Pradesh

Districts of Arunachal Pradesh	Livestock Diseases												
	Anth rax	Babes iosis	BQ	BT	ET	Fasci olosis	FMD	HS	PPR	S&G Pox	SF	Theile riosis	Trypano somosis
Anjaw	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Changlang	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Dibang Valley	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
East Kameng	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR	NR
East Siang	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	VLR	NR	NR
Kurung Kumey	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lohit	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lower Dibang Valley	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lower Subansiri	NR	NR	NR	NR	NR	MR	NR	NR	NR	NR	VLR	NR	NR
Papum Pare	NR	NR	NR	NR	NR	MR	VLR	NR	NR	NR	NR	NR	NR
Tawang	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Tirap	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Upper Siang	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Upper Subansiri	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	VLR	NR	NR
West Kameng	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
West Siang	NR	NR	NR	NR	NR	LR	NR	NR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

District wise Livestock Disease forewarning for December 2017: Assam

Districts of Assam	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Baksa	NR	NR	LR	NR	NR	VLR	NR	VLR	NR	NR	VLR	NR	NR
Barpeta	NR	NR	LR	NR	NR	LR	NR	LR	NR	NR	VLR	NR	NR
Bongaigaon	NR	NR	LR	NR	NR	LR	NR	VLR	VLR	NR	LR	NR	NR
Cachar	NR	NR	LR	NR	VLR	VLR	VLR	VLR	NR	NR	VLR	NR	NR
Chirang	NR	NR	LR	NR	NR	LR	NR	VLR	NR	NR	NR	NR	NR
Darrang	NR	NR	VLR	NR	LR	VLR	NR	LR	LR	VLR	NR	NR	NR
Dhemaji	NR	NR	VHR	NR	VLR	VHR	VLR	LR	NR	NR	VHR	VHR	NR
Dhubri	NR	NR	MR	NR	NR	HR	VLR	VLR	VLR	NR	NR	NR	NR
Dibrugarh	NR	NR	LR	NR	NR	LR	NR	VLR	VLR	NR	HR	NR	NR
Dima Hasao	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Goalpara	NR	NR	VLR	NR	VLR	VLR	NR	VLR	NR	NR	VLR	NR	NR
Golaghat	NR	NR	LR	NR	VLR	VLR	NR	VLR	VLR	NR	VLR	NR	NR
Hailakandi	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Jorhat	NR	NR	LR	NR	VLR	LR	NR	VLR	NR	VLR	HR	NR	NR
Kamrup	NR	VHR	VLR	NR	NR	HR	VLR	VLR	LR	VLR	MR	NR	NR
Kamrup Metropolitan	NR	NR	VLR	NR	VLR	VHR	NR	VLR	LR	VLR	HR	NR	NR
Karbi Anglong	NR	NR	VLR	NR	VLR	NR	NR	VLR	NR	LR	HR	NR	NR
Karimganj	NR	NR	VLR	NR	NR	VLR	NR	VLR	VLR	NR	VLR	NR	NR
Kokrajhar	NR	NR	VLR	NR	NR	VLR	NR	VLR	NR	NR	LR	NR	NR
Lakhimpur	NR	NR	LR	NR	VLR	MR	NR	VLR	NR	VLR	VHR	NR	NR
Morigaon	NR	NR	LR	NR	NR	LR	VLR	VLR	NR	NR	LR	NR	NR

Continue



Districts of Assam	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Nagaon	NR	NR	LR	NR	VLR	VLR	VLR	VLR	NR	VLR	VLR	NR	NR
Nalbari	NR	NR	LR	NR	LR	LR	VLR	LR	VLR	VLR	LR	NR	NR
Sivasagar	NR	NR	LR	NR	MR	MR	VLR	VLR	VLR	NR	VHR	NR	NR
Sonitpur	NR	NR	LR	NR	VLR	MR	VLR	VLR	VLR	LR	LR	NR	NR
Tinsukia	NR	NR	VLR	NR	VLR	NR	NR	VLR	VLR	VLR	LR	NR	NR
Udalguri	NR	NR	VLR	NR	VLR	LR	NR	VLR	VLR	NR	LR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

District wise Livestock Disease forewarning for December 2017: Bihar

Districts of Bihar	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Araria	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Arwal	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Aurangabad	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Banka	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Begusarai	NR	NR	NR	NR	NR	NR	LR	NR	NR	NR	NR	NR	NR
Bhagalpur	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bhojpur	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	VHR
Buxar	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Darbhanga	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Gaya	NR	NR	NR	NR	NR	NR	LR	NR	VLR	NR	NR	NR	NR
Gopalganj	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Jamui	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Jehanabad	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR
Kaimur (Bhabua)	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Katihar	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Khagaria	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	VHR
Kishanganj	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lakhisarai	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Madhepura	NR	NR	NR	NR	NR	NR	LR	VLR	NR	NR	NR	NR	NR
Madhubani	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Munger	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Muzaffarpur	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR

Continue

Districts of Bihar	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Nalanda	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Nawada	NR	NR	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Pashchim Champaran	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Patna	NR	NR	VLR	NR	NR	NR	MR	NR	NR	NR	MR	NR	NR
Purba Champaran	NR	NR	NR	NR	NR	NR	VLR	NR	VLR	NR	NR	NR	NR
Purnia	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Rohtas	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Saharsa	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Samastipur	NR	NR	VLR	NR	NR	NR	LR	NR	NR	NR	NR	NR	NR
Saran	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Sheikhpura	NR	NR	VLR	NR	NR	NR	LR	VLR	NR	NR	NR	NR	NR
Sheohar	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Sitamarhi	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Siwan	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR
Supaul	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR
Vaishali	NR	NR	NR	NR	NR	NR	LR	NR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR), Very high risk (VHR)



District wise Livestock Disease forewarning for December 2017: Chandigarh

Districts of Chandigarh	Livestock Diseases												
	Anth rax	Babes iosis	BQ	BT	ET	Fasci olosis	FMD	HS	PPR	S&G Pox	SF	Theile riosis	Trypano somosis
Chandigarh	NR	NR	NR	NR	NR	VLR	NR	VLR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.



*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

District wise Livestock Disease forewarning for December 2017: Chhattisgarh

Districts of Chhattisgarh	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Bastar	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bijapur	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bilaspur	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Dakshin Bastar Dantewada	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Dhamtari	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Durg	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Janjgir-champa	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Jashpur	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Kabeerdham	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Korba	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Koriya	VLR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Mahasamund	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Narayanpur	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Raigarhh	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Raipur	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Rajnandgaon	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Surguja	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Uttar Bastar Kanker	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR), Very high risk (VHR)



District wise Livestock Disease forewarning for December 2017: Dadra and Nagar Haveli

Districts of Dadra and Nagar Haveli	Livestock Diseases												
	Anth rax	Babes iosis	BQ	BT	ET	Fasci olosis	FMD	HS	PPR	S&G Pox	SF	Theile riosis	Trypano somosis
Dadra and Nagar Haveli	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR), Very high risk (VHR)



District wise Livestock Disease forewarning for December 2017: Daman and Diu

Districts of Daman and Diu	Livestock Diseases												
	Anth rax	Babes iosis	BQ	BT	ET	Fasci olosis	FMD	HS	PPR	S&G Pox	SF	Theile riosis	Trypano somosis
Daman	NR	NR	NR	NR	NR	NR	HR	NR	NR	NR	NR	NR	NR
Diu	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR), Very high risk (VHR)



District wise Livestock Disease forewarning for December 2017: Goa

Districts of Goa	Livestock Diseases												
	Anth rax	Babes iosis	BQ	BT	ET	Fasci olosis	FMD	HS	PPR	S&G Pox	SF	Theile riosis	Trypano somosis
North Goa	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	VLR	NR	NR
South Goa	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR), Very high risk (VHR)

District wise Livestock Disease forewarning for December 2017:Gujarat

Districts of Gujarat	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Ahmadabad	NR	NR	NR	NR	NR	NR	MR	LR	NR	VLR	NR	NR	NR
Amreli	NR	NR	NR	NR	NR	NR	HR	VLR	MR	NR	NR	NR	NR
Anand	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Banas Kantha	NR	NR	NR	NR	NR	NR	MR	VLR	NR	NR	NR	NR	NR
Bharuch	NR	NR	NR	NR	NR	NR	LR	VLR	NR	NR	NR	NR	NR
Bhavnagar	VLR	NR	NR	NR	LR	NR	LR	VLR	MR	VLR	NR	NR	NR
Dohad	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Gandhinagar	NR	NR	NR	NR	NR	NR	LR	LR	VLR	NR	NR	NR	NR
Jamnagar	VLR	NR	NR	NR	NR	NR	LR	VLR	NR	VLR	NR	NR	NR
Junagadh	NR	NR	NR	NR	VLR	VLR	HR	VLR	VLR	NR	NR	NR	NR
Kachchh	NR	NR	NR	NR	NR	NR	LR	LR	NR	MR	NR	NR	NR
Kheda	NR	NR	NR	NR	NR	VLR	VLR	LR	VLR	NR	NR	NR	NR
Mahesana	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Narmada	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Navsari	NR	NR	NR	NR	NR	VLR	LR	VLR	VLR	NR	NR	NR	NR
Panch Mahals	NR	NR	NR	NR	NR	NR	LR	LR	NR	NR	NR	NR	NR
Patan	NR	NR	NR	NR	NR	NR	NR	MR	NR	VLR	NR	NR	VHR
Porbandar	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR	NR
Rajkot	VLR	NR	VLR	NR	VLR	NR	MR	MR	VLR	MR	NR	NR	NR
Sabar Kantha	NR	NR	VLR	NR	VLR	NR	VLR	LR	VLR	NR	NR	NR	NR
Surat	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Surendranagar	VLR	NR	VLR	NR	NR	NR	VLR	LR	NR	NR	NR	NR	NR
Tapi	NR	NR	VLR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
The Dangs	NR	NR	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Vadodara	NR	NR	NR	NR	NR	NR	LR	LR	NR	NR	NR	NR	NR
Valsad	NR	NR	VLR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	VHR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR), Very high risk (VHR)

District wise Livestock Disease forewarning for December 2017: Haryana

Districts of Haryana	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Ambala 	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bhiwani	NR	NR	NR	NR	VLR	NR	NR	VLR	MR	NR	VLR	NR	NR
Faridabad	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Fatehabad	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Gurgaon	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	VLR	NR	NR
Hisar	NR	NR	NR	NR	VLR	NR	LR	NR	MR	VLR	LR	NR	NR
Jhajjar	NR	NR	NR	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR
Jind	NR	NR	NR	NR	NR	NR	NR	LR	NR	VLR	NR	NR	NR
Kaithal	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Karnal	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Kurukshetra	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Mahendragarh	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Mewat	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Palwal	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Panchkula	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Panipat	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR
Rewari	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Rohtak	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Sirsa	NR	NR	NR	NR	NR	NR	VLR	NR	VLR	NR	NR	NR	NR
Sonipat	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	VLR	NR	NR
Yamunanagar	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR), Very high risk (VHR)



District wise Livestock Disease forewarning for December 2017: Himachal Pradesh

Districts of Himachal pradesh	Livestock Diseases												
	Anth rax	Babes iosis	BQ	BT	ET	Fasci olosis	FMD	HS	PPR	S&G Pox	SF	Theile riosis	Trypano somosis
Bilaspur	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR
Chamba	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hamirpur	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Kangra	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Kinnaur	NR	NR	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR
Kullu	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lahul & Spiti	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Mandi	NR	NR	NR	NR	NR	NR	VLR	NR	VLR	NR	NR	NR	NR
Shimla	NR	NR	VLR	NR	VLR	NR	VLR	VLR	LR	NR	NR	NR	NR
Sirmaur	NR	NR	NR	NR	NR	NR	NR	VLR	NR	VLR	NR	NR	NR
Solan	NR	NR	NR	NR	NR	NR	VLR	NR	VLR	NR	NR	NR	NR
Una	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR), Very high risk (VHR)

District wise Livestock Disease forewarning for December 2017: Jammu and Kashmir

Districts of Jammu and Kashmir	Livestock Diseases												
	Anth rax	Babes iosis	BQ	BT	ET	Fasci olosis	FMD	HS	PPR	S&G Pox	SF	Theile riosis	Trypano somosis
Anantnag	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Badgam	NR	NR	VLR	NR	NR	NR	LR	VLR	LR	VHR	NR	NR	NR
Bandipore	VLR	NR	VLR	NR	LR	NR	VLR	NR	NR	VHR	NR	NR	NR
Baramula	LR	NR	LR	NR	VLR	NR	MR	NR	NR	LR	NR	NR	NR
Doda	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Ganderbal	NR	NR	NR	NR	LR	NR	VLR	NR	VLR	MR	NR	NR	NR
Jammu	NR	NR	VLR	NR	NR	NR	LR	MR	NR	VLR	NR	NR	NR
Kargil	NR	NR	NR	NR	NR	NR	LR	NR	NR	NR	NR	NR	NR
Kathua	NR	NR	VLR	NR	NR	NR	VLR	LR	NR	NR	NR	NR	NR
Kishtwar	NR	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR
Kulgam	NR	NR	VLR	NR	VLR	NR	LR	NR	NR	VHR	NR	NR	NR
Kupwara	VLR	NR	VLR	NR	VLR	NR	MR	VLR	NR	VLR	NR	NR	NR
Leh(Ladakh)	NR	NR	NR	NR	NR	NR	VLR	NR	VLR	NR	NR	NR	NR
Pulwama	NR	NR	VLR	NR	NR	NR	LR	NR	LR	VHR	NR	NR	NR
Punch	NR	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR
Rajouri	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Ramban	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Reasi	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Samba	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Shupiyan	NR	NR	NR	NR	VLR	NR	NR	NR	NR	VHR	NR	NR	NR
Srinagar	NR	NR	NR	NR	NR	NR	VHR	LR	NR	VHR	NR	NR	NR
Udhampur	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

District wise Livestock Disease forewarning for December 2017: Jharkhand

Districts of Jharkhand	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Bokaro	NR	VHR	VLR	NR	VLR	VHR	LR	VLR	LR	NR	VLR	VHR	VHR
Chatra	VLR	VHR	VLR	NR	NR	LR	LR	LR	LR	NR	VLR	VHR	NR
Deoghar	VLR	VHR	VLR	NR	LR	VHR	LR	LR	LR	NR	NR	VHR	VHR
Dhanbad	VLR	VHR	LR	NR	LR	VHR	HR	LR	VHR	NR	LR	VHR	VHR
Dumka	VLR	NR	NR	NR	NR	HR	LR	VLR	VLR	NR	NR	VHR	VHR
Garhwa	VLR	VHR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR	VHR
Giridih	NR	VHR	VLR	NR	VLR	VLR	VLR	VLR	NR	NR	NR	NR	VHR
Godda	VLR	NR	LR	NR	NR	MR	LR	MR	MR	NR	NR	VHR	VHR
Gumla	VLR	VHR	LR	NR	LR	VHR	LR	LR	VLR	NR	LR	VHR	VHR
Hazaribagh	VLR	VHR	LR	NR	NR	VHR	HR	LR	VLR	NR	VLR	VHR	VHR
Jamtara	VLR	VHR	NR	NR	NR	VHR	VLR	LR	LR	NR	NR	VHR	VHR
Khunti	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Koderma	NR	VHR	LR	NR	VLR	VHR	MR	VLR	VLR	NR	VLR	VHR	VHR
Latehar	VLR	VHR	VLR	NR	NR	MR	LR	VLR	VLR	NR	NR	VHR	VHR
Lohardaga	VLR	VHR	VLR	NR	NR	VHR	LR	VLR	LR	NR	LR	VHR	VHR
Pakur	VLR	NR	NR	NR	NR	LR	VLR	VLR	VLR	NR	NR	VHR	NR
Palamu	VLR	VHR	LR	NR	LR	VLR	LR	VLR	VLR	NR	NR	NR	VHR
Pashchimi Singhbhum	VLR	VHR	VLR	NR	VLR	HR	VLR	LR	VLR	NR	NR	VHR	NR
Purbi Singhbhum	VLR	VHR	LR	NR	NR	VHR	LR	LR	VLR	NR	NR	NR	VHR
Ramgarh	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Ranchi	VLR	VHR	LR	NR	VLR	VHR	VHR	MR	HR	NR	VLR	VHR	VHR
Sahibganj	NR	NR	NR	NR	NR	MR	NR	NR	NR	NR	NR	NR	NR
Seraikela - Kharsawan	VLR	VHR	VLR	NR	VLR	VHR	LR	VLR	VLR	NR	NR	VHR	VHR
Simdega	VLR	VHR	VLR	NR	NR	HR	VLR	VLR	LR	NR	VLR	VHR	VHR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR), Very high risk (VHR)

District wise Livestock Disease forewarning for December 2017: Karnataka

Districts of Karnataka	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Bagalkot 	VLR	NR	VLR	LR	VHR	NR	MR	MR	LR	MR	NR	NR	NR
Bangalore	NR	NR	LR	NR	NR	NR	VHR	LR	LR	HR	VLR	NR	NR
Bangalore Rural	HR	NR	MR	MR	LR	NR	HR	VLR	LR	VLR	VLR	NR	NR
Belgaum	NR	NR	LR	LR	MR	NR	HR	MR	VLR	MR	NR	NR	NR
Bellary	VHR	NR	HR	MR	MR	NR	LR	VHR	MR	VHR	NR	NR	NR
Bidar	NR	NR	LR	NR	LR	NR	MR	LR	MR	VLR	VLR	NR	NR
Bijapur	NR	NR	NR	NR	LR	NR	MR	HR	VLR	LR	NR	NR	NR
Chamarajanagar	HR	NR	HR	NR	NR	NR	MR	VLR	MR	LR	NR	NR	NR
Chikkaballapura	MR	NR	NR	HR	MR	NR	HR	VLR	MR	MR	VLR	NR	NR
Chikmagalur	NR	NR	VHR	NR	VLR	NR	VHR	MR	VLR	VLR	NR	NR	NR
Chitradurga	MR	NR	VHR	VHR	VHR	NR	VHR	VHR	HR	VHR	NR	NR	NR
Dakshina Kannada	NR	NR	NR	NR	NR	NR	LR	NR	NR	NR	NR	NR	NR
Davanagere	VHR	NR	VHR	VHR	LR	NR	VHR	VHR	NR	VHR	NR	NR	NR
Dharwad	NR	NR	MR	NR	VLR	NR	HR	MR	VLR	NR	NR	NR	NR
Gadag	NR	NR	VLR	HR	HR	NR	MR	MR	VLR	HR	NR	NR	NR

Continue

Districts of Karnataka	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Gulbarga 	VLR	NR	VHR	NR	MR	NR	VHR	HR	VHR	MR	NR	NR	NR
Hassan	LR	NR	VHR	VLR	LR	NR	HR	VHR	LR	LR	NR	NR	NR
Haveri	VLR	NR	HR	MR	LR	NR	VHR	VHR	LR	MR	NR	NR	NR
Kodagu	NR	NR	MR	NR	NR	NR	VLR	VLR	NR	VLR	NR	NR	NR
Kolar	MR	NR	LR	HR	LR	NR	VHR	MR	HR	MR	NR	NR	NR
Koppal	HR	NR	MR	VHR	VHR	NR	HR	VHR	MR	VHR	NR	NR	NR
Mandya	VLR	NR	LR	MR	LR	NR	HR	MR	VLR	MR	NR	NR	NR
Mysore	VLR	NR	VHR	LR	VLR	NR	HR	MR	VLR	VLR	NR	NR	NR
Raichur	MR	NR	LR	MR	MR	NR	VHR	HR	MR	VHR	NR	NR	NR
Ramanagara	NR	NR	VLR	NR	VLR	NR	HR	NR	LR	VLR	NR	NR	NR
Shimoga	VLR	NR	VHR	LR	VLR	NR	HR	VHR	NR	LR	NR	NR	NR
Tumkur	VHR	NR	VHR	VHR	VHR	NR	VHR	VHR	VHR	VHR	NR	NR	NR
Udupi	NR	NR	VLR	NR	NR	NR	MR	LR	VLR	NR	NR	NR	NR
Uttara Kannada	NR	NR	LR	NR	VLR	NR	HR	MR	VLR	NR	NR	NR	NR
Yadgir	NR	NR	HR	NR	LR	NR	LR	MR	LR	VLR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR), Very high risk (VHR)

District wise Livestock Disease forewrning for December 2017: Kerala

Districts of Kerala	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Alappuzha	NR	NR	NR	NR	NR	NR	VHR	VLR	LR	NR	NR	NR	NR
Ernakulam	LR	NR	NR	NR	NR	NR	VHR	LR	LR	NR	VLR	NR	NR
Idukki	MR	NR	NR	NR	NR	NR	VHR	VLR	VLR	NR	MR	NR	NR
Kannur	LR	VHR	NR	NR	NR	NR	VHR	NR	VLR	NR	VLR	NR	NR
Kasaragod	NR	NR	NR	NR	NR	NR	MR	NR	VLR	NR	NR	NR	NR
Kollam	MR	NR	VLR	NR	NR	NR	HR	MR	MR	NR	NR	NR	NR
Kottayam	MR	NR	VLR	NR	NR	NR	VHR	MR	VLR	NR	LR	NR	NR
Kozhikode	LR	NR	NR	NR	NR	NR	VHR	VLR	LR	NR	VLR	NR	NR
Malappuram	NR	NR	NR	NR	NR	NR	HR	VLR	LR	NR	NR	NR	NR
Palakkad	VLR	NR	NR	NR	VLR	NR	VHR	LR	MR	VLR	LR	NR	NR
Pathanamthitta	MR	NR	NR	NR	NR	NR	VHR	VLR	VLR	NR	VLR	NR	NR
Thiruvananthapuram	LR	VHR	NR	NR	NR	NR	VHR	HR	MR	NR	NR	VHR	NR
Thrissur	HR	NR	NR	NR	VLR	NR	VHR	HR	LR	VLR	VLR	NR	NR
Wayanad	NR	NR	NR	NR	NR	VLR	VHR	NR	VLR	NR	LR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)



District wise Livestock Disease forewarning for December 2017: Lakshadweep



Districts of Lakshadweep	Livestock Diseases												
	Anth rax	Babes iosis	BQ	BT	ET	Fasci olosis	FMD	HS	PPR	S&G Pox	SF	Theile riosis	Trypano somosis
Lakshadweep	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.



*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR), Very high risk (VHR)

District wise Livestock Disease forewarning for December 2017: Madhya Pradesh

Districts of Madhya Pradesh	Livestock Diseases												
	Anth rax	Babes iosis	BQ	BT	ET	Fasci olosis	FMD	HS	PPR	S&G Pox	SF	Theile riosis	Trypano somosis
Alirajpur	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Anuppur	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Ashoknagar	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Balaghat	NR	NR	VLR	NR	NR	NR	HR	LR	LR	NR	NR	NR	NR
Barwani	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Betul	VLR	NR	MR	LR	VLR	NR	HR	HR	MR	NR	NR	NR	NR
Bhind	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR
Bhopal	NR	NR	NR	NR	NR	NR	VHR	MR	LR	NR	MR	NR	NR
Burhanpur	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Chhatarpur	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	VLR	NR	NR
Chhindwara	NR	NR	LR	NR	NR	NR	HR	HR	MR	NR	LR	NR	NR
Damoh	NR	NR	VLR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR
Datia	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR
Dewas	NR	NR	NR	NR	NR	NR	LR	VLR	NR	NR	NR	NR	NR
Dhar	NR	NR	NR	NR	NR	NR	LR	LR	NR	NR	NR	NR	NR
Dindori	VLR	NR	NR	NR	NR	NR	NR	MR	VLR	NR	NR	NR	NR
East Nimar	NR	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR
Guna	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR
Gwalior	NR	NR	NR	NR	NR	NR	LR	VLR	LR	NR	VLR	NR	NR
Harda	NR	NR	NR	NR	NR	NR	VLR	LR	NR	NR	NR	NR	NR
Hoshangabad	NR	NR	NR	NR	NR	NR	LR	VLR	VLR	NR	VLR	NR	NR
Indore	NR	NR	NR	NR	NR	NR	LR	HR	NR	NR	NR	NR	NR
Jabalpur	VLR	NR	LR	NR	NR	NR	MR	VHR	HR	NR	LR	NR	VHR
Jhabua	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Katni	VLR	NR	LR	NR	NR	NR	VLR	VHR	VLR	NR	VLR	NR	NR

Continue

Districts of Madhya Pradesh	Livestock Diseases												
	Anth rax	Babes iosis	BQ	BT	ET	Fasci olosis	FMD	HS	PPR	S&G Pox	SF	Theile riosis	Trypano somosis
Khargone (West Nimar)	NR	NR	NR	NR	NR	NR	MR	MR	NR	NR	VLR	NR	NR
Mandla	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Mandsaur	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Morena	VLR	NR	NR	NR	NR	NR	LR	VLR	LR	NR	VLR	NR	NR
Narsimhapur	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	VHR
Neemuch	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR
Panna 	NR	NR	NR	NR	NR	NR	LR	VLR	LR	NR	VLR	NR	NR
Raisen	NR	NR	NR	NR	NR	NR	VLR	LR	NR	NR	VLR	NR	NR
Rajgarh	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Ratlam	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	VLR	NR	NR
Rewa	VLR	NR	MR	NR	VLR	NR	HR	HR	LR	NR	VLR	NR	NR
Sagar	NR	NR	NR	NR	NR	NR	LR	NR	VLR	NR	NR	NR	NR
Satna	NR	NR	NR	NR	NR	NR	LR	VLR	VLR	NR	NR	NR	NR
Sehore	NR	NR	VLR	NR	NR	NR	HR	LR	VLR	NR	NR	NR	NR
Seoni	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Shahdol	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Shajapur	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR
Sheopur 	NR	NR	NR	NR	NR	NR	HR	HR	HR	NR	LR	NR	NR
Shivpuri	LR	NR	VLR	NR	NR	NR	VLR	LR	MR	NR	VLR	NR	NR
Sidhi	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Singrauli	NR	NR	NR	NR	NR	NR	VLR	NR	LR	NR	NR	NR	NR
Tikamgarh	NR	NR	NR	NR	NR	NR	HR	NR	VLR	NR	VLR	NR	NR
Ujjain	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	VLR	NR	NR
Umaria	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	VLR	NR	NR
Vidisha	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

District wise Livestock Disease forewarning for December 2017: Maharashtra

Districts of Maharashtra	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Ahmadnagar	LR	NR	HR	NR	NR	NR	VLR	MR	VHR	NR	LR	NR	NR
Akola	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Amravati	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Aurangabad	NR	NR	VLR	NR	NR	NR	VLR	VLR	LR	NR	NR	NR	NR
Bhandara	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bid	LR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR
Buldana	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Chandrapur	VLR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	LR	NR	NR
Dhule	NR	NR	VLR	NR	NR	NR	NR	LR	VLR	NR	VLR	NR	NR
Gadchiroli	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR
Gondiya	NR	NR	VLR	NR	NR	NR	NR	VLR	VLR	NR	VLR	NR	NR
Hingoli	NR	NR	NR	NR	NR	NR	LR	VLR	VLR	NR	NR	NR	NR
Jalgaon	VLR	NR	VLR	NR	NR	NR	NR	MR	LR	NR	VLR	NR	NR
Jalna	NR	NR	VLR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Kolhapur	NR	NR	VLR	NR	NR	NR	VLR	NR	NR	VLR	NR	NR	NR
Latur	LR	NR	LR	NR	NR	NR	VLR	MR	LR	NR	VLR	NR	NR
Mumbai	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Mumbai Suburban	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Nagpur	NR	NR	NR	NR	NR	NR	NR	LR	HR	NR	NR	NR	NR
Nanded	NR	NR	LR	NR	NR	NR	NR	VLR	NR	NR	LR	NR	NR
Nandurbar	NR	NR	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Nashik	VLR	NR	MR	NR	LR	NR	NR	HR	MR	NR	LR	NR	NR
Osmanabad	LR	NR	VLR	NR	NR	NR	VLR	VLR	MR	VLR	VLR	NR	NR
Parbhani	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Pune	MR	NR	VLR	NR	VLR	NR	NR	VLR	VLR	VLR	VLR	NR	NR

Continue

Districts of Maharashtra	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Raigarh	NR	NR	VLR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR
Ratnagiri	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Sangli	NR	NR	VLR	NR	VLR	NR	NR	VLR	MR	LR	NR	NR	NR
Satara	VLR	NR	VLR	NR	VLR	NR	VLR	VLR	NR	VLR	VLR	NR	NR
Sindhudurg	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Solapur	NR	NR	VLR	NR	NR	NR	VLR	VLR	VLR	VLR	NR	NR	NR
Thane	NR	NR	VLR	NR	NR	NR	NR	LR	VLR	NR	NR	NR	NR
Wardha	NR	NR	VLR	NR	NR	NR	NR	NR	VLR	NR	VLR	NR	NR
Washim	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Yavatmal	NR	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

District wise Livestock Disease forewarning for December 2017: Manipur

Districts of Manipur	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Bishnupur	NR	NR	LR	NR	NR	VHR	VLR	VLR	NR	NR	VLR	NR	NR
Chandel	NR	NR	HR	NR	VLR	VLR	VLR	VLR	NR	VLR	HR	NR	NR
Churachandpur	NR	NR	MR	NR	NR	VLR	VLR	VLR	NR	NR	MR	NR	NR
Imphal East	NR	NR	HR	NR	NR	VHR	LR	NR	NR	NR	HR	NR	NR
Imphal West	NR	NR	HR	NR	NR	VHR	LR	LR	NR	NR	HR	NR	NR
Senapati	NR	NR	LR	VLR	VLR	HR	LR	LR	NR	LR	LR	NR	NR
Tamenglong	NR	NR	MR	NR	NR	NR	NR	VLR	NR	NR	MR	NR	NR
Thoubal	NR	NR	LR	NR	NR	VHR	LR	VLR	NR	LR	VHR	NR	NR
Ukhrul	NR	NR	MR	NR	NR	VLR	NR	VLR	NR	NR	MR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

District wise Livestock Disease forewarning for December 2017: Meghalaya

Districts of Meghalaya	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
East Garo Hills	NR	NR	VLR	NR	NR	NR	LR	VLR	NR	NR	MR	NR	NR
East Jaintia Hills	NR	NR	LR	NR	NR	NR	MR	HR	NR	NR	MR	NR	NR
East Khasi Hills	VLR	NR	MR	NR	NR	NR	VHR	VLR	NR	VLR	VHR	NR	NR
Jaintia Hills	NR	NR	NR	NR	NR	NR	VHR	LR	NR	NR	MR	NR	NR
North Garo Hills	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	LR	NR	NR
Ribhoi	VLR	NR	VLR	NR	NR	NR	VHR	VLR	NR	VLR	VHR	NR	NR
South Garo Hills	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	VLR	NR	NR
Southwest Garo Hills	NR	NR	VHR	NR	NR	NR	VHR	VHR	NR	NR	VHR	NR	NR
Southwest Khasi Hills	NR	NR	VLR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
West Garo Hills	NR	NR	VHR	NR	NR	NR	VHR	VHR	NR	NR	VHR	NR	NR
West Khasi Hills	NR	NR	VHR	NR	NR	NR	VHR	MR	NR	NR	VHR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR), Very high risk (VHR)



District wise Livestock Disease forewarning for December 2017: Mizoram



Districts of Mizoram	Livestock Diseases												
	Anth rax	Babes iosis	BQ	BT	ET	Fasci olosis	FMD	HS	PPR	S&G Pox	SF	Theile riosis	Trypano somosis
Aizawl	NR	NR	NR	NR	NR	LR	LR	NR	NR	VLR	LR	NR	NR
Champhai	NR	NR	VLR	NR	NR	MR	NR	LR	NR	NR	LR	NR	NR
Kolasib	NR	NR	NR	NR	NR	NR	LR	VLR	VLR	NR	VLR	NR	NR
Lawngtlai	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR
Lunglei	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	VLR	NR	NR
Mamit	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	VLR	NR	NR	NR
Saiha	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	VLR	NR	NR
Serchhip	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	VLR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)



District wise Livestock Disease forewarning for December 2017: Nagaland



Districts of Nagaland	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Dimapur	NR	NR	NR	NR	NR	NR	LR	VLR	NR	NR	HR	NR	NR
Kiphire	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Kohima	NR	NR	NR	NR	NR	NR	LR	NR	NR	NR	LR	NR	NR
Longleng	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	MR	NR	NR
Mokokchung	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Mon	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR
Peren	NR	NR	NR	NR	NR	NR	LR	VLR	NR	NR	LR	NR	NR
Phek	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR
Tuensang	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	LR	NR	NR
Wokha	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Zunheboto	NR	NR	NR	NR	NR	VLR	LR	NR	NR	NR	LR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR), Very high risk (VHR)



District wise Livestock Disease forewarning for December 2017: NCT of Delhi



Districts of NCT of Delhi	Livestock Diseases												
	Anth rax	Babes iosis	BQ	BT	ET	Fasci olosis	FMD	HS	PPR	S&G Pox	SF	Theile riosis	Trypano somosis
Central	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
East	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
New Delhi	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
North	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
North East	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
North West	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
South	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
South West	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
West	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

District wise Livestock Disease forewarning for December 2017: Odisha

Districts of Odisha	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Anugul	VLR	VHR	LR	NR	NR	NR	LR	LR	VLR	NR	NR	NR	NR
Balangir	NR	NR	VLR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Baleshwar	NR	NR	NR	NR	NR	NR	LR	VLR	LR	VLR	NR	NR	NR
Bargarh	LR	NR	LR	NR	NR	NR	LR	NR	VLR	VLR	NR	NR	NR
Baudh	NR	NR	VLR	NR	NR	NR	NR	VLR	LR	VLR	NR	NR	NR
Bhadrak	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Cuttack	VLR	VHR	VHR	NR	LR	VHR	VHR	LR	VLR	LR	NR	VHR	VHR
Debagarh	NR	NR	VLR	NR	NR	VHR	MR	VLR	LR	LR	NR	NR	NR
Dhenkanal	NR	NR	LR	NR	NR	NR	MR	VLR	VLR	NR	NR	NR	NR
Gajapati	NR	NR	VLR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Ganjam	NR	NR	LR	VLR	VLR	VLR	MR	VLR	MR	VLR	NR	NR	NR
Jagatsinghpur	NR	NR	VLR	NR	VLR	NR	VHR	LR	VLR	NR	NR	NR	NR
Jajapur	VLR	NR	VLR	NR	NR	VLR	LR	LR	VLR	NR	NR	VHR	NR
Jharsuguda	VLR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	VHR
Kalahandi	NR	NR	NR	VLR	NR	NR	LR	LR	VLR	VLR	NR	NR	NR
Kandhamal	VLR	NR	VLR	NR	NR	NR	LR	VLR	LR	NR	NR	NR	NR
Kendrapara	NR	NR	LR	NR	VLR	NR	MR	VLR	VLR	LR	NR	NR	NR
Kendujhar	LR	NR	MR	NR	NR	VLR	MR	VLR	HR	NR	NR	VHR	VHR
Khordha	VLR	VHR	HR	NR	NR	VLR	VHR	VLR	LR	MR	NR	VHR	NR
Koraput	MR	NR	VLR	NR	NR	VHR	MR	VLR	HR	NR	NR	NR	NR
Malkangiri	VLR	NR	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR
Mayurbhanj	VLR	NR	VLR	NR	VLR	NR	MR	VLR	VLR	NR	NR	NR	NR
Nabarangapur	LR	NR	VLR	NR	VLR	VLR	LR	VLR	NR	LR	NR	NR	NR
Nayagarh	NR	NR	VLR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Nuapada	NR	NR	MR	VLR	VLR	NR	LR	LR	VLR	LR	NR	NR	NR

Continue



Districts of Odisha	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Puri	NR	NR	VLR	NR	NR	NR	VLR	VLR	MR	LR	NR	NR	NR
Rayagada	VLR	VHR	LR	NR	VLR	NR	LR	LR	NR	VLR	NR	VHR	NR
Sambalpur	VLR	NR	NR	NR	NR	NR	NR	LR	VLR	VLR	NR	NR	NR
Subarnapur	NR	NR	LR	NR	NR	NR	VLR	LR	LR	VLR	NR	NR	NR
Sundargarh	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR), Very high risk (VHR)



District wise Livestock Disease forewarning for December 2017: Puducherry

Districts of Puducherry	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Karaikal	NR	VHR	NR	NR	NR	NR	MR	NR	NR	LR	NR	NR	NR
Mahe	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Puducherry	NR	VHR	NR	NR	NR	HR	NR	MR	LR	VHR	NR	NR	NR
Yanam	NR	NR	NR	NR	NR	VHR	VLR	NR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR), Very high risk (VHR)

District wise Livestock Disease forewarning for December 2017: Punjab

Districts of Punjab	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Amritsar	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Barnala	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bathinda	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	LR	NR	NR
Faridkot	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	VLR	NR	NR
Fatehgarh Sahib	NR	NR	NR	NR	NR	NR	VLR	LR	NR	NR	NR	NR	NR
Firozpur	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	LR	VHR	NR
Gurdaspur	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Hoshiarpur	NR	NR	NR	NR	NR	NR	NR	LR	NR	NR	NR	NR	NR
Jalandhar	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	VLR	VLR	NR	NR
Kapurthala	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Ludhiana	NR	NR	NR	NR	NR	VLR	HR	HR	LR	NR	VHR	NR	NR
Mansa	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Moga	NR	NR	NR	NR	NR	NR	MR	NR	NR	NR	VLR	NR	NR
Muktsar	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Patiala	NR	NR	VLR	NR	NR	NR	NR	VLR	VLR	VLR	MR	NR	NR
Rupnagar	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	LR	NR	NR
Sahibzada Ajit Singh Nagar	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR
Sangrur	NR	NR	NR	NR	NR	NR	VLR	LR	VLR	NR	NR	VHR	NR
Shahid Bhagat Singh Nagar	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	LR	NR	NR
Tarn Taran	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

District wise Livestock Disease forewarning for December 2017: Rajasthan

Districts of Rajasthan	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Ajmer	NR	NR	NR	NR	NR	NR	MR	LR	VLR	NR	NR	NR	NR
Alwar	NR	NR	VLR	NR	LR	NR	HR	HR	VLR	NR	NR	NR	NR
Banswara	NR	NR	NR	NR	NR	VLR	VLR	NR	VLR	NR	NR	NR	NR
Baran	NR	NR	NR	NR	NR	NR	VLR	LR	LR	NR	VLR	NR	VHR
Barmer	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bharatpur	NR	NR	NR	NR	NR	NR	VLR	VLR	VLR	NR	NR	NR	NR
Bhilwara	NR	NR	VLR	NR	NR	NR	LR	VLR	VLR	NR	NR	NR	NR
Bikaner	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bundi	NR	NR	NR	NR	NR	NR	LR	NR	NR	NR	NR	NR	NR
Chittaurgarh	NR	NR	NR	NR	NR	NR	LR	VLR	NR	NR	NR	NR	NR
Churu	NR	NR	NR	NR	VLR	NR	LR	NR	VLR	NR	NR	NR	NR
Dausa	NR	NR	NR	NR	VLR	NR	VLR	LR	VLR	NR	NR	NR	NR
Dhaulpur	NR	NR	NR	NR	NR	VLR	LR	VLR	VLR	NR	NR	NR	NR
Dungarpur	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Ganganagar	NR	NR	VLR	NR	VLR	NR	HR	NR	NR	NR	NR	NR	NR
Hanumangarh	NR	NR	VLR	NR	VLR	NR	HR	LR	NR	VLR	NR	NR	VHR
Jaipur	NR	NR	NR	NR	NR	NR	HR	HR	LR	NR	NR	NR	NR
Jaisalmer	NR	NR	NR	NR	NR	NR	VLR	NR	LR	NR	NR	NR	NR
Jalor	NR	NR	VLR	NR	NR	NR	VLR	VLR	NR	VLR	NR	NR	NR
Jhalawar	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR
Jhunjhunun	NR	NR	VLR	NR	VLR	NR	HR	NR	VLR	VLR	NR	NR	NR
Jodhpur	NR	NR	NR	NR	VLR	NR	LR	VLR	VLR	NR	NR	NR	NR
Karauli	NR	NR	NR	NR	NR	NR	VLR	LR	NR	NR	VLR	NR	NR
Kota	NR	NR	VLR	NR	NR	NR	MR	VLR	LR	NR	LR	NR	VHR
Nagaur	NR	NR	NR	NR	NR	NR	MR	VLR	VLR	NR	NR	NR	NR



Continue

Districts of Rajasthan	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Pali	NR	NR	VLR	NR	VLR	NR	NR	VLR	VLR	NR	NR	NR	NR
Pratapgarh	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Rajsamand	NR	NR	NR	NR	NR	NR	LR	VLR	NR	VLR	NR	NR	NR
Sawai Madhopur	NR	NR	NR	NR	VLR	NR	NR	VLR	VLR	NR	NR	NR	NR
Sikar	NR	NR	VLR	NR	NR	NR	HR	VLR	VLR	VLR	VLR	NR	NR
Sirohi	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Tonk	NR	NR	NR	NR	VLR	NR	LR	VLR	LR	NR	NR	NR	NR
Udaipur	NR	NR	VLR	NR	NR	VLR	MR	NR	LR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)



District wise Livestock Disease forewarning for December 2017: Sikkim



Districts of Sikkim	Livestock Diseases												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
East District	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR
North District	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	LR	NR	NR
South District	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
West District	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR), Very high risk (VHR)

District wise Livestock Disease forewarning for December 2017: Tamil Nadu

Districts of Tamil Nadu	Livestock Disease												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Ariyalur	VLR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Chennai	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Coimbatore	MR	NR	NR	NR	VLR	NR	HR	NR	VLR	NR	NR	NR	NR
Cuddalore	VLR	NR	VLR	NR	VLR	NR	HR	NR	VLR	VLR	NR	NR	NR
Dharmapuri	HR	NR	VLR	LR	VLR	NR	MR	NR	VLR	LR	NR	NR	NR
Dindigul	MR	NR	NR	MR	NR	NR	MR	NR	LR	NR	NR	NR	NR
Erode	VLR	NR	VLR	NR	NR	NR	LR	NR	VLR	NR	NR	NR	NR
Kancheepuram	HR	NR	HR	NR	VLR	NR	HR	VLR	LR	VLR	NR	NR	NR
Kanniyakumari	NR	NR	NR	NR	NR	NR	LR	NR	VLR	NR	NR	NR	NR
Karur	VLR	NR	NR	LR	NR	NR	LR	NR	VLR	VLR	VLR	NR	NR
Krishnagiri	MR	NR	NR	MR	NR	NR	HR	VLR	NR	NR	NR	NR	NR
Madurai	VLR	VHR	NR	NR	NR	NR	MR	NR	NR	NR	NR	NR	NR
Nagapattinam	NR	NR	NR	NR	NR	NR	HR	NR	NR	VLR	NR	NR	NR
Namakkal	MR	NR	NR	NR	NR	NR	HR	NR	VLR	NR	NR	NR	NR
Perambalur	VLR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Pudukkottai	MR	NR	VLR	NR	NR	NR	HR	NR	VLR	VLR	NR	NR	NR
Ramanathapuram	MR	NR	NR	NR	NR	NR	LR	NR	NR	VLR	NR	NR	NR
Salem	LR	NR	VLR	NR	NR	NR	HR	NR	MR	LR	NR	NR	NR
Sivaganga	VLR	NR	NR	NR	NR	NR	MR	NR	LR	VLR	NR	NR	NR
Thanjavur	LR	NR	VLR	NR	NR	NR	VHR	NR	VLR	VLR	NR	NR	NR
The Nilgiris	VLR	NR	NR	NR	NR	NR	LR	NR	VLR	NR	NR	NR	NR
Theni	MR	NR	NR	NR	NR	NR	MR	NR	NR	NR	NR	NR	NR
Thiruvallur	LR	NR	NR	NR	NR	NR	MR	NR	NR	VLR	NR	NR	NR
Thiruvarur	NR	NR	NR	NR	NR	NR	VHR	NR	NR	VLR	NR	NR	NR
Thoothukkudi	LR	NR	NR	HR	NR	NR	MR	NR	VLR	NR	NR	NR	NR

Continue

Districts of Tamil Nadu	Livestock Disease												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Tiruchirappalli	VLR	NR	NR	NR	NR	NR	MR	NR	VLR	NR	NR	NR	NR
Tirunelveli	HR	NR	NR	HR	VLR	NR	HR	NR	VLR	VLR	NR	NR	NR
Tiruppur	NR	NR	NR	NR	NR	NR	NR	NR	LR	NR	NR	NR	NR
Tiruvannamalai	HR	NR	VLR	NR	NR	NR	HR	NR	LR	NR	NR	NR	NR
Vellore	VHR	NR	VLR	NR	VLR	NR	MR	VLR	LR	NR	NR	NR	NR
Viluppuram	HR	NR	MR	NR	VLR	NR	HR	VLR	LR	VLR	VLR	NR	NR
Virudhunagar	VLR	NR	NR	NR	NR	NR	LR	NR	VLR	VLR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

District wise Livestock Disease forewarning for December 2017: Telangana

Districts of Telangana	Livestock Diseases												
	Anth rax	Babes iosis	BQ	BT	ET	Fasci olosis	FMD	HS	PPR	S&G Pox	SF	Theile riosis	Trypano somosis
Adilabad	NR	NR	MR	VLR	HR	NR	VLR	HR	LR	LR	NR	NR	NR
Hyderabad	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	VLR	NR	NR	NR
Karimnagar	NR	NR	VLR	MR	LR	NR	LR	LR	HR	VHR	NR	NR	NR
Khammam	VLR	NR	HR	LR	VHR	NR	VHR	MR	VHR	VHR	NR	NR	NR
Mahbubnagar	HR	NR	VHR	MR	HR	NR	NR	VHR	VHR	VHR	NR	NR	NR
Medak	VLR	NR	LR	MR	LR	VLR	NR	VHR	MR	HR	NR	NR	NR
Nalgonda	MR	NR	MR	LR	HR	NR	VLR	HR	VHR	VHR	NR	NR	NR
Nizamabad	VLR	NR	VLR	LR	HR	NR	LR	LR	LR	MR	NR	NR	NR
Rangareddy	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Warangal	VLR	NR	LR	MR	HR	NR	VLR	LR	HR	VHR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

District wise Livestock Disease forewarning for December 2017: Tripura


Districts of Tripura	Livestock Disease												
	Anth rax	Babes iosis	BQ	BT	ET	Fasci olosis	FMD	HS	PPR	S&G Pox	SF	Theile riosis	Trypano somosis
Dhalai	NR	NR	VLR	NR	NR	VLR	HR	VLR	VLR	HR	VLR	NR	NR
North Tripura	NR	NR	VLR	NR	NR	LR	LR	VLR	VLR	NR	LR	NR	NR
South Tripura	NR	VHR	MR	NR	NR	VHR	HR	HR	LR	MR	MR	NR	NR
West Tripura	LR	VHR	VHR	NR	NR	VHR	VHR	VHR	VLR	MR	VHR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)



District wise Livestock Disease forewarning for December 2017: Uttar Pradesh

Districts of Uttar Pradesh	Livestock Disease												
	Anth rax	Babes iosis	BQ	BT	ET	Fasci olosis	FMD	HS	PPR	S&G Pox	SF	Theile riosis	Trypano somesis
Agra	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aligarh	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Allahabad	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Ambedkar Nagar	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR	NR
Amethi 	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Auraiya	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Azamgarh	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Baghpat	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bahraich	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Ballia	NR	VHR	NR	NR	NR	HR	VLR	NR	NR	NR	NR	VHR	NR
Balrampur	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Banda	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bara Banki	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR	NR
Bareilly 	NR	NR	NR	NR	NR	NR	NR	NR	MR	NR	NR	NR	NR
Basti	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bijnor 	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Budaun	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bulandshahr	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Chandauli	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Chitrakoot	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Deoria	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Etah	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Etawah	NR	VHR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR	NR
Faizabad	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Farrukhabad	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Continue

Districts of Uttar Pradesh	Livestock Disease												
	Anth rax	Babes iosis	BQ	BT	ET	Fasci olosis	FMD	HS	PPR	S&G Pox	SF	Theile riosis	Trypano somosis
Fatehpur	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Firozabad	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Gautam Buddha Nagar	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Ghaziabad	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Ghazipur	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Gonda	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Gorakhpur	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hamirpur	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hapur	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hardoi	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Jalaun	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Jaunpur	NR	NR	NR	NR	NR	MR	NR	NR	NR	NR	NR	NR	VHR
Jhansi	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Jyotiba Phule Nagar	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Kannauj	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Kanpur Dehat	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Kanpur Nagar	NR	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR
Kanshiram Nagar	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Kaushambi	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Kheri	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR	NR
Kushinagar	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Lalitpur	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lucknow	NR	NR	NR	NR	LR	LR	NR	NR	NR	NR	NR	NR	NR
Mahamaya Nagar	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR	NR
Mahoba	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Continue

Districts of Uttar Pradesh	Livestock Disease												
	Anth rax	Babes iosis	BQ	BT	ET	Fasci olosis	FMD	HS	PPR	S&G Pox	SF	Theile riosis	Trypano somosis
Mahrajganj	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Mainpuri	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Mathura	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Mau	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Meerut	NR	NR	NR	NR	NR	VHR	VLR	NR	NR	NR	NR	NR	VHR
Mirzapur	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	VHR
Moradabad	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Muzaffarnagar	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Pilibhit	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Pratapgarh	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Rae Bareli	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR	NR
Rampur	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Saharanpur	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Sambhal	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Sant Kabir Nagar	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Sant Ravidas Nagar	NR	NR	NR	NR	NR	MR	NR	NR	NR	NR	NR	NR	NR
Shahjahanpur	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Shamli	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Shrawasti	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Siddharthnagar	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Sitapur	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Sonbhadra	NR	NR	NR	NR	NR	LR	VLR	VLR	NR	NR	NR	NR	NR
Sultanpur	NR	NR	NR	NR	NR	NR	VLR	VLR	NR	NR	NR	NR	NR
Unnao	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Varanasi	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)



District wise Livestock Disease forewarning for December 2017: Uttarakhand



Districts of Uttarakhand	Livestock Disease												
	Anth rax	Babes iosis	BQ	BT	ET	Fasci olosis	FMD	HS	PPR	S&G Pox	SF	Theile riosis	Trypano somosis
Almora	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Bageshwar	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Chamoli	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Champawat	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Dehradun	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Garhwal	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hardwar	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Nainital	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Pithoragarh	NR	NR	NR	NR	NR	NR	VLR	NR	NR	NR	NR	NR	NR
Rudraprayag	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Tehri Garhwal	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Udham Singh Nagar	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Uttarkashi	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

District wise Livestock Disease forewarning for December 2017: West Bengal

Districts of West Bengal	Livestock Disease												
	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis
Bankura	MR	NR	VHR	NR	NR	NR	VHR	HR	VHR	VLR	NR	NR	NR
Barddhaman	MR	VHR	VHR	NR	NR	NR	VHR	HR	VHR	VHR	VLR	VHR	VHR
Birbhum	NR	NR	VHR	NR	NR	NR	VHR	MR	VHR	MR	NR	VHR	VHR
Dakshin Dinajpur	NR	NR	VHR	NR	NR	NR	VHR	VLR	VHR	LR	VLR	NR	NR
Darjiling	NR	NR	VLR	NR	NR	NR	MR	VLR	MR	NR	VLR	NR	NR
Haora	NR	VHR	VHR	NR	NR	NR	VHR	VLR	VHR	VHR	NR	VHR	NR
Hugli	LR	NR	VHR	NR	NR	NR	VHR	VLR	VHR	VHR	NR	NR	VHR
Jalpaiguri	VLR	NR	VHR	NR	NR	LR	MR	VLR	VHR	VLR	VLR	NR	NR
Koch Bihar	MR	NR	HR	NR	NR	NR	HR	VLR	VLR	NR	NR	NR	NR
Kolkata	NR	NR	NR	NR	NR	NR	VLR	NR	MR	NR	NR	NR	NR
Maldah	NR	VHR	MR	NR	NR	NR	VHR	LR	VHR	NR	MR	VHR	NR
Murshidabad	HR	NR	LR	NR	NR	NR	VHR	MR	VHR	NR	VLR	VHR	NR
Nadia	MR	VHR	MR	NR	NR	NR	VHR	VLR	VHR	VLR	VLR	NR	NR
North Twenty Four Parganas	VLR	NR	LR	NR	NR	NR	VHR	VLR	HR	HR	VLR	NR	NR
Paschim Medinipur	VLR	NR	MR	NR	NR	NR	VHR	LR	VHR	VLR	NR	NR	NR
Purba Medinipur	VLR	NR	HR	NR	NR	NR	VHR	VLR	VLR	LR	NR	NR	NR
Puruliya	VLR	NR	VHR	NR	NR	NR	VHR	VHR	VHR	LR	VLR	NR	VHR
South Twenty Four Parganas	NR	NR	VLR	NR	NR	NR	VHR	LR	MR	MR	NR	NR	NR
Uttar Dinajpur	VLR	NR	LR	NR	NR	NR	MR	VLR	LR	NR	NR	NR	NR

If vaccination is already been done please ignore the disease forecast for that disease.

*No risk/No data available (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR),Very high risk (VHR)

ii) State wise Livestock Disease forewarning for December 2017

Sl.No	State Name	Anthrax	Babesiosis	BQ	BT	ET	Fasciolosis	FMD	HS	PPR	S&G Pox	SF	Theileriosis	Trypanosomosis	Total no.of Diseases events likely to occur
1	Andaman and Nicobar	0	0	0	0	0	3	0	0	0	0	0	0	0	3
2	Andhra Pradesh	5	0	0	3	8	0	4	9	8	9	0	0	0	46
3	Arunachal Pradesh	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	Assam	0	1	1	0	0	4	0	0	0	0	7	1	0	14
5	Bihar	0	0	0	0	0	0	0	0	0	0	0	0	2	2
6	Chandigarh	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7	Chhattisgarh	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8	Dadra and Nagar Haveli	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9	Daman and Diu	0	0	0	0	0	0	1	0	0	0	0	0	0	1
10	Goa	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11	Gujarat	0	0	0	0	0	0	2	0	0	0	0	0	2	4
12	Haryana	0	0	0	0	0	0	0	0	0	0	0	0	0	0
13	Himachal Pradesh	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14	Jammu and Kashmir	0	0	0	0	0	0	1	0	0	6	0	0	0	7
15	Jharkhand	0	18	0	0	0	14	3	0	2	0	0	17	18	72
16	Karnataka	6	0	12	7	5	0	20	11	4	8	0	0	0	73
17	Kerala	1	2	0	0	0	0	13	2	0	0	0	1	0	19
18	Lakshadweep	0	0	0	0	0	0	0	0	0	0	0	0	0	0
19	Madhya Pradesh	0	0	0	0	0	0	8	7	2	0	0	0	2	19
20	Maharashtra	0	0	1	0	0	0	0	1	2	0	0	0	0	4
21	Manipur	0	0	3	0	0	5	0	0	0	0	4	0	0	12
22	Meghalaya	0	0	3	0	0	0	6	3	0	0	5	0	0	17
23	Mizoram	0	0	0	0	0	0	0	0	0	0	0	0	0	0
24	Nagaland	0	0	0	0	0	0	0	0	0	0	1	0	0	1
25	Nct of Delhi	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	Orissa	0	4	2	0	0	3	3	0	2	0	0	5	3	22
27	Puducherry	0	2	0	0	0	2	0	0	0	1	0	0	0	5
28	Punjab	0	0	0	0	0	0	1	1	0	0	1	2	0	5
29	Rajasthan	0	0	0	0	0	0	6	2	0	0	0	0	3	11
30	Sikkim	0	0	0	0	0	0	0	0	0	0	0	0	0	0
31	Tamil Nadu	6	1	1	2	0	0	13	0	0	0	0	0	0	23
32	Telangana	1	0	2	0	6	0	1	4	5	6	0	0	0	25
33	Tripura	0	2	1	0	0	2	3	2	0	1	1	0	0	12
34	Uttar Pradesh	0	2	0	0	0	2	0	0	0	0	0	1	3	8
35	Uttarakhand	0	0	0	0	0	0	0	0	0	0	0	0	0	0
36	West Bengal	1	4	10	0	0	0	15	3	13	4	0	5	4	59
Total No districts likely to report		20	36	36	12	19	35	100	45	38	35	19	32	37	464

*Number of predicted disease incidence was summarised considering only High risk and Very high risk (VHR+HR)

Andaman and Nicobar

All the districts in the state are likely to report Fascioliosis diseases.

Andhra Pradesh

A total of 13 districts in Andhra Pradesh are likely to report the major 7 livestock diseases i.e., Anthrax, Bluetongue, Enterotoxemia, Foot and Mouth Disease, Haemorrhagic Septicaemia, Peste des petits ruminants, Sheep & Goat pox in which Haemorrhagic Septicaemia and Sheep & Goat pox are predicted for 9 districts. Enterotoxemia and Peste des petits ruminants are likely to occur in 8 districts. Foot and Mouth Disease are likely to occur in 4 districts. Anthrax is predicted for 5 districts. Bluetongue is likely to occur in 3 districts.

Assam

A total of 27 districts from Assam are likely to report 5 livestock diseases i.e. Babesiosis, Black Quarter, Fascioliosis, Swine Fever and Theileriosis in which 4 districts are prone to Fascioliosis. 7 districts are likely to have Swine Fever. Kamrup is the district prone to Babesiosis while Dhemaji is prone to both Black Quarter and Theileriosis.

Bihar

A total of 38 districts in Bihar in which 1 district i.e. Bhojpur and Khagaria are likely to report Trypanosomosis.

Daman and Diu

Daman is likely to report Foot and Mouth disease.

Gujarat

A total of 47 districts in Gujarat are likely to report 2 diseases i.e., Foot and Mouth disease, and Trypanosomosis. 2 districts are prone to Foot and Mouth disease and Trypanosomosis.

Jammu and Kashmir

A total of 22 districts in Jammu and Kashmir are likely to report 2 diseases i.e., Foot and Mouth disease and Sheep & Goat pox. Sheep & Goat pox disease is predicted in 6 districts. Foot and Mouth disease is predicted in Srinagar district.

Jharkhand

A total of 24 districts in Jharkhand are likely to report 6 diseases i.e., Babesiosis, Fasciolosis, Foot and Mouth disease, Peste de pestis ruminants, Theileriosis and Trypanosomosis. Babesiosis and Trypanosomosis are likely to occur in 18 districts while Theileriosis disease are likely to occur in 17 districts. Fasciolosis is predicted in 14 districts. Foot and Mouth disease and Peste de pestis ruminants are prone in 3 and 2 districts respectively.

Karnataka

A total of 30 districts in Karnataka are likely to report 8 diseases i.e., Anthrax, Black Quarter, Bluetongue, Enterotoxemia, Foot and Mouth disease, Haemorrhagic Septicaemia, Peste des petits ruminants and Sheep & Goat pox. 20 districts are prone to Foot and Mouth disease. Sheep& Goat pox is likely to occur in 8 districts. 11 districts are prone to Haemorrhagic Septicaemia and 12 districts are prone to Black Quarter. Anthrax is prone to 6 districts. Enterotoxemia is likely to occur in 5 districts. 7 districts are prone to Bluetongue.4 districts are likely to have Peste des petits ruminants.

Kerala

A total of 14 districts in Kerala are likely to report 5 diseases i.e. Anthrax, Babesiosis, Foot & Mouth disease, Haemorrhagic Septicaemia and Theileriosis. 13 districts are prone to Foot & Mouth disease. Babesiosis and Haemorrhagic Septicaemia likely to occur in 2 districts. 1 district i.e. Thrissur and Thiruvananthapuram are prone to Anthrax and Theileriosis respectively.

Madhya Pradesh

A total of 50 districts in Madhya Pradesh likely to have 4 diseases i.e., Haemorrhagic Septicaemia, Foot & Mouth disease, Peste des petits ruminants and Trypanosomosis.7 districts are prone to Haemorrhagic Septicaemia. 8 districts are prone to Foot & Mouth disease. 2 districts are prone to Peste des petits ruminants and Trypanosomosis.


Maharashtra

A total of 34 districts in Maharashtra are likely to report 3 diseases i.e., Black Quarter, Haemorrhagic Septicaemia and Peste des petits ruminants. 2 districts are prone to Peste des petits ruminants. Black Quarter and Haemorrhagic Septicaemia are likely to occur in Ahmadnagar and Nashik districts respectively.

Manipur

A total of 9 districts in Manipur are likely to report 3 major livestock disease i.e., Black Quarter, Fasciolosis and Swine fever. 5 districts are prone to Fasciolosis. 4 district likely to have Swine fever. 3 districts are prone to Black Quarter.

ICAR



Meghalaya

A total of 11 districts in Meghalaya are likely to report 4 diseases i.e., Black Quarter, Foot and Mouth disease, Haemorrhagic Septicaemia and Swine Fever. 6 districts are prone to Foot and Mouth disease while 5 districts likely to have Swine Fever. Black Quarter and Haemorrhagic Septicaemia is predicted in 3 districts.

Nagaland

A total of 11 districts in Nagaland of which Dimapur district is likely to report Swine Fever.

Odisha

A total of 29 districts in Orissa are likely to report 7 diseases i.e., Babesiosis, Black Quarter, Fasciolosis, Foot and Mouth Disease, Peste des petits ruminants, Theileriosis and Trypanosomosis. Theileriosis is a threat for 5 districts. Babesiosis is threat for 4 districts. Fasciolosis, Foot and Mouth Disease and Trypanosomosis are likely to occur in 3 districts. Black Quarter and Peste des petits ruminants prone to 2 districts.

Puducherry

A total of 4 districts in Puducherry likely to have 3 diseases. 2 districts are prone to Babesiosis and Fasciolosis while 1 district i.e. Puducherry is prone to Sheep & Goat pox.

Punjab

A total of 20 districts in Punjab is likely to report 4 major livestock diseases i.e. Foot and Mouth Disease, Haemorrhagic Septicaemia, Swine Fever and Theileriosis. Theileriosis is likely to occur in 2 district. Ludhiana is the district prone to Foot and Mouth Disease, Haemorrhagic Septicaemia and Swine Fever.

Rajasthan

A total of 32 districts in Rajasthan are likely to report 3 diseases i.e. Foot and Mouth Disease, Haemorrhagic Septicaemia and Trypanosomiasis. Foot and Mouth Disease is threat for 6 districts. 2 districts are prone to Haemorrhagic Septicaemia. 3 districts likely to have Trypanosomiasis.

Tamil Nadu

A total of 31 districts in Tamil Nadu are likely to report 5 diseases i.e., Anthrax, Babesiosis, Black Quarter, Bluetongue and Foot and Mouth Disease. Anthrax is predicted for 6 districts. 13 districts are likely to have Foot and Mouth Disease. Bluetongue prone districts are 2. Babesiosis and Black Quarter is predicted in 1 districts i.e. Madurai and Kancheepuram respectively.

Telangana

A total of 10 districts in Telangana are likely report the major 7 livestock disease. i.e., Anthrax, Black Quarter, Enterotoxemia, Foot and Mouth Disease, Haemorrhagic Septicaemia, Peste des petits ruminants and Sheep and Goat pox. Enterotoxemia and Sheep and Goat pox are predicted in all the 6 districts. Peste des petits ruminants is likely to occur in 5 districts. Haemorrhagic Septicaemia is a threat to 4 districts. 2 districts are prone to Black Quarter. 1 districts i.e. Mahbubnagar and Khammam are prone to Anthrax and Foot and Mouth Disease respectively.

Tripura

Dhalai, North Tripura, South Tripura and West Tripura are likely to report 7 diseases i.e. Babesiosis, Black Quarter, Fasciolosis, Foot and Mouth disease, Haemorrhagic Septicaemia, Sheep & Goat pox and Swine Fever. 3 districts are prone to Foot and Mouth disease. Fasciolosis, Babesiosis and Haemorrhagic Septicaemia are likely to occur in 2 districts. West Tripura is prone to both Black Quarter and Swine Fever. Dhalai is the only district likely to have Sheep & Goat pox.

Uttar Pradesh

A total of 83 districts in Uttar Pradesh likely to report 4 major livestock diseases i.e., Babesiosis, Fasciolosis, Theileriosis and Trypanosomosis. 3 districts likely to have Trypanosomosis. Babesiosis and Fasciolosis is a threat for 2 districts. 1 district i.e. Ballia is prone to Theileriosis.

West Bengal

A total of 19 districts in West Bengal are likely to report 9 diseases i.e., Anthrax, Babesiosis, Black Quarter, Foot and Mouth Disease, Haemorrhagic Septicaemia, Peste des petits ruminants, Sheep & Goat pox, Theileriosis and Trypanosomosis. 15 districts are prone to Foot and Mouth Disease. Black Quarter and Peste des petits ruminants are likely to occur in 10 and 13 districts respectively. 5 districts are prone to Theileriosis. Babesiosis, Sheep & Goat pox and Trypanosomosis are threat for 4 districts while 3 districts are prone to Haemorrhagic Septicaemia. Anthrax is likely occur in 1 district i.e. Nadia.



iii) Diseases, Species affected, clinical signs and its preventive measures.

Sl No.	Disease	Species Affected	Clinical Signs	Preventive Measures
1	Anthrax	Most of the mammals and ruminants are highly susceptible. Pigs and Horses are moderately susceptible. Carnivores are relatively resistant.	Convulsion and sudden death with oozing of blood from natural orifices such as rectum and nose prior to death. Occasionally oedema develops in the throat and shoulder over a period of one week before death.	Ring vaccination and report of disease is advised. Vaccination to be done in consultation with the veterinarians and as decided by state animal husbandry authorities. Strict biosecurity measures may be followed. Carcass may be disposed by deep burying covered with lime powder. Contaminated area may be disinfected with 4% formalin or 10% caustic soda. Grazing area may be restricted.
2	Babesiosis	Cattle. Cross breeds are more susceptible.	High temperature, jaundice like symptoms, yellowish mucosal membrane of eye, rectum and coffee colour urine.	Periodical application of acaricides in and around the animal shed and on the animals. For therapeutic application, d-aminizine or imidocarb can be useful.
3.	Black Quarter (BQ)	Common disease for cattle and sheep but occasionally goats and pigs also suffer from the disease.	High fever and lameness followed by swelling in the neck, shoulder, lumbar, gluteal and sacral regions. Skin over the affected area become dark and crepitate on palpation. Loss of feed intake, colic, lateral recumbency, dyspnoea and death.	Affected animals may be treated with suitable antibiotics. Vaccination to be done in consultation with the veterinarians and as decided by state animal husbandry authorities. Strict biosecurity measures may be followed. Grazing area may be restricted. Carcass may be disposed hygienically.
4.	Bluetongue (BT)	Sheep are more susceptible than goats.	Fever, swelling of face, neck, eyelids respiratory distress, nasal discharge, Salivation, necrotic ulcers on tongue, dental pad, gum, lips hyperaemia of muzzle and may bleed at muco-cutaneous junction. Affected tongue may become swollen, cyanotic and	Vector control using insecticides and good water management. Vaccination of susceptible animals preferably in the month of June. Do not shear sheep during winter months. Restriction in animal movement, segregation of affected animals and

			purple blue in colour – ‘blue tongue’.	symptomatic treatment. Strict bio security measures.
5.	Enterotoxemia (ET)	Common disease of sheep and goats especially among the young animals.	Dullness, opisthotonus, convulsions, coma and sudden death. Affected adult sheep, which survive for several days may show diarrhoea and staggering.	Affected animals may be treated with suitable antibiotics. Vaccination to be done in consultation with the veterinarians and as decided by state animal husbandry authorities. Strict biosecurity measures may be followed. Carcass may be disposed hygienically. Grazing area to be restricted, stall fed, vitamins and probiotics may be provided.
6.	Fasciolosis	Cattle, buffalo, sheep and goats.	Progressive anaemia, pale mucous membrane, sub-mandibular oedema (bottle jaw), loss of appetite, weakness in movement, isolated from flock while grazing, loss in production.	The animal should not be allowed to graze in water stagnant field or sub-merged fodder should not be given directly to the animals. The submerged fodder can be processed through hay/silage preparation, where metacercaria will die through the process. The affected animals can be treated by Carbon tetrachloride/ Rafoxanide /Nitroxynil/ Niclofolan /Closantel/ Oxyclozanide, under Veterinarian 's supervision.
7.	Foot and Mouth Disease (FMD)	Cattle, buffalo, sheep, goats and pigs are often affected domesticated species, but the disease is more severe in cattle and pigs.	Fever, loss of feed intake, drop in milk production, drooling of saliva like ropey string, vesicles develop on the tongue, lips, gums, and palate and eventually rupture. Concurrent to oral lesions, vesicles also appear in inter digital skin and coronary band of the feet. The animal may open and close its mouth with a characteristic smacking sound. Sheep and goats may show lameness. In pigs,	Regular vaccination and seromonitoring. Disinfection with sodium carbonate (4%) or 10% washing soda and strict biosecurity measures to be followed and animal movement may be controlled.


			lesions may be seen on snout and also on the feet.	
8.	Haemorrhagic septicaemia (HS)	Common disease for cattle and buffaloes but also occur among other species such as pigs, sheep, goats and many wild animals.	The disease starts with high fever, respiratory distress and haemorrhages may be seen on the mucous membranes. There is lacrymation, nasal discharge, drop in milk production and anorexia. As the disease progress ear droop, animals are prostrated with cyanosis of mucous membranes. There may be oedema along the head, neck, thorax, vulva and anal areas. Sudden death occurs within few hours of clinical signs.	Affected animals may be treated with suitable antibiotics. Vaccination to be done in consultation with the veterinarians and as decided by state animal husbandry authorities. Strict biosecurity measures may be followed. Carcass may be disposed hygienically and stress factors may be reduced by good animal husbandry practices.
9.	Peste des Petits Ruminants (PPR)	Goats and sheep are most affected domestic animals.	Fever, nasal and ocular discharge, respiratory distress, necrotic lesions in buccal mucosa, gum, dental pad, palate, tongue and diarrhoea. Animals may die because of dehydration and pneumonia.	Vaccination of susceptible animals of above 3 months old age. Restriction on animal movement, strict biosecurity measures and proper disposal of carcass.
10.	Sheep & Goat pox (S & G pox)	Sheep and Goats	Respiratory distress and pock lesions over the non-hairy parts of body, more common in teat, udder, scrotum, head, neck, ear, perineum, inner aspect of thighs and under tail.	Vaccination of susceptible animals of above 3 months old age. Symptomatic treatment of affected animals. Restriction on animal movement, strict biosecurity measures and proper disposal of carcass.
11.	Swine Fever (SF)	Pigs	Fever, Conjunctivitis, purplish discolouration of snout, ears, abdomen, innerside of the legs and staggering gait.	Vaccination of susceptible animals. Restriction on animal movement, strict biosecurity measures and proper disposal of carcass
12.	Theileriosis	Large Ruminants. Cross bred cattle are more vulnerable.	High temperature, yellowish eye, sometime eye may be heavily swollen, icteric mucosal membrane of rectum, dark yellowish urine, sometime may reach to coffee colour. Antibiotic is of no use to check fever.	Periodical application of acaricides in and around the animal shed and on the animals. Vaccination in endemic areas with <i>Theileria annulata</i> schizont cell culture vaccine. Therapeutic application of buparvaquone can be useful in both early and advanced stages of the infection.

13.	Trypanosomos is	Domestic and wild carnivores and herbivores including cattle, buffalo, horse, donkey, camel, dog and cats. Buffaloes are known as carriers.	Fluctuating high fever which is not responded by antibiotic, swollen lymph gland, chronic emaciation and weakness, loss of appetite, gradual loss of production.	The affected animal should be treated with diaminazine compounds or chloride and sulphate salts of quinapyramine. Periodical spray of insecticide in and around animal shed to remove the flies.




iv) Livestock Risk Prediction - Disease forewarning Maps


Risk Prediction of Anthrax for the month of December 2017




Risk Prediction of Babesiosis for the month of December 2017




Risk Prediction of Black quarter for the month of December 2017




Risk Prediction of Bluetongue for the month of December 2017




Risk Prediction of Enterotoxemia for the month of December 2017




Risk Prediction of Fascioliasis for the month of December 2017




Risk Prediction of Foot and mouth disease for the month of December 2017




Risk Prediction of Haemorrhagic septicaemia for the month of December 2017




Risk Prediction of Peste des petits ruminants for the month of December 2017




Risk Prediction of Sheep and Goat pox for the month of December 2017




Risk Prediction of Swine fever for the month of December 2017



Risk Prediction of Theileriosis for the month of December 2017



Risk Prediction of Trypanosomiasis for the month of December 2017



Appendix

A. R Code

```
#pars month_number=8; year_number=2006; current_year=2017;

nadres_func=function (current_year, year_number, month_number)

{

args = commandArgs(trailingOnly=TRUE)

if (length(args)<3) {

stop("Correct number of arguments must be supplied", call.=FALSE)

}

current_year=args[1]

year_number=args[2]

month_number=args[3]

df_total<-NULL

month_name=data.frame(


month=c(1:12),


month_names=c("January","February","March","April","May","October","October","October","October","November","November","December"))

)

ss<-fread(file="NADRES.csv",header=T,check.names = F)

col_pars=names(ss)

vars= paste(col_pars[7:ncol(ss)],collapse = "+")
```



```

options(verbose = F)

for(disease in c(8,10,11,12,24,31,35,37,48,60,62,65,70,72,79))

{

# disease=8

rs<-dbSendQuery(mydb,"SELECT index_state.state_name,index_state.state_id,index_district.district_id,
index_district.district_name, year_list.year, outbreak_data_final.month,
ls_sp_index.species_name,disease_master.disease_id, disease_master.disease_name,
outbreak_data_final.number_of_outbreaks, outbreak_data_final.number_susceptible,
outbreak_data_final.number_of_attacks, outbreak_data_final.number_of_deaths

FROM ls_sp_index INNER JOIN (year_list INNER JOIN (disease_master INNER JOIN
(index_district INNER JOIN (index_state INNER JOIN outbreak_data_final ON index_state.state_id =
outbreak_data_final.state_id) ON index_district.district_id = outbreak_data_final.district_id) ON
disease_master.disease_id = outbreak_data_final.disease_id) ON year_list.year = outbreak_data_final.year)
ON ls_sp_index.species_id = outbreak_data_final.species_id;

")

data = fetch(rs, n=-1)

# year change

data<-subset(data,data$year>=year_number&data$disease_id==disease)

df<-sqldf("SELECT
state_id,state_name,district_id,district_name,disease_id,disease_name,month,sum(number_of_outbreaks)as
outbreak FROM data GROUP BY
state_id,district_id,state_name,district_name,month,disease_id,disease_name",drv="SQLite")

ss1<-subset(ss,ss$disease_id==disease)

attach(ss1,warn.conflicts = F)

attach(df,warn.conflicts = F)

dd<-merge(ss1, df, by = c("state_id","district_id","disease_id","month"),all.x=TRUE)

attach(dd,warn.conflicts = F)

out<-data.frame(outbreak)

```



```

out<-ifelse(outbreak>=1,1,0)

out[is.na(out)]<-0

final<-cbind(dd,out)

final1<-final[which(final$disease_id==disease),]

cat("For disease: ",as.character(unique(ss1[,"disease_name"])), "\n")

ncs= ncol(final1)-5

temp = data.frame(final1[,8:ncs])

for(i in 1:ncol(temp)) {

temp[is.na(temp[,i]), i] <- mean(temp[,i], na.rm = TRUE)

}

#temp = as.matrix.data.frame(temp)

#temp = as.data.frame(temp)

final2<-

cbind(final1$state_id,final1$state_name.x,final1$district_id,final1$district_name.x,final1$disease_id,final1

$disease_name.x,final1$out,final1$month,temp)

setnames(final2,old=c("final1$state_id","final1$state_name.x","final1$district_id","final1$district_name.x",

"final1$disease_id","final1$disease_name.x","final1$out","final1$month"),new=c("state_id","state_name",

"district_id","district_name","disease_id","disease_name","out","month"))

formula=paste("out ~",vars)

as.formula(formula)

model<-glm(formula,data = final2, family = binomial(link="logit"),maxit=20)

new<-data.frame(final2[,8:ncol(final2)])

prediction<-predict(model,type="response")

summary(prediction)

vv<-round(prediction,2)

df1<-cbind(final2,vv)

```



```

df_total<-rbind(df_total,df1)

gc()

}

f=function(m){

if(m<=0.0) i=1

else if(m>=0.0 && m<=0.20) i=2

else if(m>=0.21 && m<=0.40) i=3

else if(m>=0.41 && m<=0.60) i=4

else if(m>=0.61 && m<=0.80) i=5

else i=6

}

df_total$cate=factor(mapply(f,df_total$vv),levels=1:6,labels=c("NR","VLR","LR","MR","VHR","HR"))

write.csv(df_total,"nadres_outbreak.csv")

##### ACCURACY

df_total=read.csv("nadres_outbreak.csv",header = T)

dir.create(path = paste(month_name[month_number,2],current_year))

df_poa=df_total

df_poa$cate=factor(mapply(f,df_poa$vv),levels=1:6,labels=c(0,0,0,0,1,1))

df_poa=df_poa[which(df_poa$month==month_name[month_number,1]),]

df_p=df_poa[,c("disease_name","out","cate")]

df_acc=cbind(data.frame(c(1:nrow(df_tot_res))),data.frame(df_tp_tn[,1],(df_tp_tn[,2]/df_tot_res[,2])*100))

df_acc=setNames(df_acc,c("No","Disease","Accuracy"))

print(df_acc)

```

```
dis_acc=paste(paste(month_name[month_number,2]," ",current_year,"/",sep = ""), "Disease Accuracy  
",month_name[month_number,2]," ",current_year,".csv",sep="")  
  
write.csv(df_acc,dis_acc,row.names = F)
```

```
#####PLOT
```

```
i=1
```

```
plot_dir=paste(paste(month_name[month_number,2],"  
",current_year,"/",sep=""),month_name[month_number,2]," ",current_year," N",sep="")  
  
dir.create(path = plot_dir)
```

```
disease = c(8,10,11,12,31,35,37,48,60,65,70,72,79)
```

```
while(i<=length(disease))
```

```
{  
  
kar=readOGR(dsn = "1shp/2011_Dist.shp",verbose = FALSE)  
  
cols=as.character(unique(df_total[df_total$disease_id==disease[i],"disease_name"]))  
  
df_disease=df_total[which(df_total$month==month_name[month_number,1]  
&df_total$disease_id==disease[i]),]  
  
df_disease=df_disease[,c(2:5,(ncol(df_disease)-1))]  
  
df_disease=setNames(df_disease,c("ST_CEN_CD","state_name","DT_CEN_CD","district_name","vv"))  
  
kar@data=merge(data.frame(kar@data),data.frame(df_disease),by=c("ST_CEN_CD","DT_CEN_CD"),all.  
x=T)  
  
kar$vv[is.na(kar$vv)]<-0  
  
#View(kar@data)
```

```
colours<-c("#FFFFFF","#FFFF00","#FFC1C1","#FF7150","#FF8500","#FF0000")
```

```
kar$lb=factor(mapply(f,kar$vv),levels=1:6,labels=c("No Risk / No Data","Very Low  
Risk","LowRisk","MediumRisk","HighRisk","Very High Risk"))
```

```
cols=gsub("&"," and",cols)
```



```
disname= gsub("\\.", " ",cols)

cat("Plot for disease:",disname,"\n")

plot_loc=paste(plot_dir,"/",disname,"/",sep="")

dir.create(plot_loc)

file_name=paste(plot_loc,disname,".png",sep="")

plot_title= paste(disname," risk prediction(",month_name[month_number,2]," ",current_year,")",sep="")
```

```
png(file_name)
```

```
print(spplot(obj = kar,c("lb"),col.regions=colours,main = plot_title,scales=list(draw = TRUE)))
```

```
dev.off()
```

```
i=i+1
```



B. Abbreviations

NADRES : National Animal Disease Referral Expert System

R : R environment for statistical computing

BQ : Black Quarter

 BT : Blue tongue

 ET : Enterotoxemia

FMD : Foot and Mouth disease

HS : Haemorrhagic Septicaemia

PPR : Peste des petits ruminants

S&G POX : Sheep and Goat pox

SF : Swine Fever

hPa : Hectopascals

NR : No risk/No data available

VLR : Very low risk

LR : Low risk

MR : Moderate risk

VHR : High risk

HR : Very high risk



भारतीय
ICAR



हर कदम, हर डगर
किसानों का हमसफर
भारतीय कृषि अनुसंधान परिषद

Agrisearch with a Human touch.



ICAR-National Institute of Veterinary Epidemiology and Disease Informatics (ICAR_NIVEDI),

P. B. No.6450, Yelahanka, Bengaluru-560064

Phone: +91-80-23093111, Fax: +91-80-23093222, Email: director.nivedi@icar.gov.in