March 2018, Volume 6, Issue 3

Supplementary for Karnataka (Block Level) Forewarning







LIVESTOCK DISEASE FOREWARNING BULLETIN- May 2018

(SIMPLIFIED SOLUTION! MAGNIFIED OPPORTUNITY!)



Dr. Siju Susan Jacob

Prepared By: Dr. K. P. Suresh Dr. Divakar Hemadri Dr. S.S. Patil

Disclaimer

The forewarnings are based on the retrospective disease data available in the NADRES database. Hence, for those states wherein data is limited/less, the forewarning may not be realistic. Further the forewarning will not take into consideration the control measures that are *in situ*.

Acknowledgement

We would like to acknowledge the constant support and inspiration from honourable Secretary, DARE & DG, ICAR, Government of India, New Delhi.

We would like to express sincere everlasting gratitude to honourable Deputy Director-General (Animal Science) for his constant encouragement and guidance.

We would also like to express sincere gratitude to Department of Animal Husbandry, Dairying and Fisheries, Government of India for providing the livestock population data for preparation of this bulletin.

Animal Husbandry Departments of state governments and also AICRP on ADMAS centers are gratefully acknowledged for the timely report of disease outbreak data. We are thankful to all the scientific and technical staff of ICAR-NIVEDI for their feedback and support.

Furthermore, we would also like to acknowledge with much appreciation, the crucial role of Scientist Dr. Siju Susan Jacob and SRF/YP Latha Gopal Singh, Dheeraj.R, Rashmi Ro-Kurli, Mainak Mondal and Sandip Santra in preparation of this report.

Dr. K. P. Suresh

Dr. Divakar Hemadri

Dr. S.S. Patil

(Dr. Parimal Roy)

Project Coordinator, AICRP on ADMAS & Director, ICAR-NIVEDL

हिदेशक / Director राष्ट्रीय प्रश्नुपित तथ सुप्रम सिहान संस्थान स्वरंजन स्वास्य व/Veeney Epideoidig and Disea Informity स्वेश्ट बायस स–६४५० / Post Box No. 8450 जमसोप्रवहरित / Ramagoridanshall बेलसुज्ञ–५६० ०६४ / Bangaluru-560 004



Contents

1. About the Bulletin12. Forewarning Methodology23. Accuracy of Prediction34. Forewarning of livestock disease for the month of February 20184i) Taluk wise Livestock Disease Forewarning4ii) Livestock Risk Prediction – Taluk wise Disease forewarning Maps105. Abbreviations14

1. About the bulletin...

Livestock sector also plays a critical role in the welfare of India's rural population. This enterprise provides a flow of essential food products, draught power, manure, employment, income, and export earnings. As it is an important component in poverty alleviation programmes, continuous emphasis is being laid on this sector for enhancing the quality of the primary and secondary products in international market, which in turn demands safe animal health for better products. Therefore, livestock development programmes cannot succeed unless a well-organized animal health service is built up and protection of livestock against diseases and pests particularly against the deadly infections is assured.

India has achieved eradication of rinderpest (RP), CBPP, AHS and Dourine. However, there are several other infectious and non-infectious diseases prevailing in the country causing huge economic loss annually. Prevention, control and eradication of the animal diseases need a thorough understanding of the epidemiology as well their economic impact.

National Institute of Veterinary Epidemiology and Disease Informatics (NIVEDI) has the mandate to carry out research activities in the area of veterinary epidemiology and disease informatics. With the eradication of RP successfully, India has not only proved its ability to face the challenges, but also to succeed, despite various limitations. Similar efforts are needed to control and eradicate the diseases like FMD, PPR, Brucellosis, CSF, BT, HS etc., which cause huge economic loss annually to the livestock industry. To this end, ICAR-NIVEDI has identified 4 priority diseases, based on the past incidence patterns and has built a strong database of these diseases. The database, which is backbone of the National Animal Disease Referral Expert System (NADRES), is used for providing monthly livestock disease forewarning, which is compiled in this monthly bulletin to alert the animal husbandry departments, both at the National/state level, to take appropriate control measures. We hope users/stakeholders find this bulletin useful in their quest to control livestock diseases.

After realising the difficulties in implementing the forewarning results at district level and also considering the importance of forewarning at block level, ICAR-NIVEDI attempted to develop models for predictive analytics at block levels. Similar risk factors like Meteorological and remote sensing variables were used for forewarning at block level. We started providing the forewarning results for Karnataka state on Foot & Mouth disease, Black quarter, HS and PPR on pilot basis.

2. Forewarning Methodology

I) Materials.

Livestock disease data

Previous 10 years livestock disease outbreak data retrieved from the NADRES database linked with Risk factors data.

Livestock population data

District wise livestock population data from 19th Livestock census (2012)

Meteorological data

Variables such as precipitation (mm/month), pressure (millibar), relative humidity(%), sea level pressure(millibar), minimum temperature (°C), maximum temperature(°C), wind speed(m/s), vapour pressure (hPa), soil moisture(%), perceptible water(mm), potential evaporation transpiration(mm/day) and cloud (%) were extracted from NCEP-National centre environmental prediction/IMD-Indian meteorological Database/NICRA-National Innovation Climate Resilient Agriculture and other sources for the past five years. Monthly average for the past five years have been calculated and used.

Remote sensing data

Remote sensing variables such as NDVI-Normalised difference vegetation index, EVI-Enhanced vegetation index and LST - Land surface temperature were calculated using MODIS LANDSAT/IRS satellite images for the past five years. Monthly average for the past five years have been calculated and used. Details of the parameters are tabulated below.

SDS Layer Name	Resolution	Description	Units	Data Type	Scaling Factor
500m_16_days_NDVI	500 sq. m	16 day NDVI average	NDVI	16-bit signed integer	0.0001
500m_16_days_EVI	500 sq. m	16 day EVI average	EVI	16-bit signed integer	0.0001
LST_Day_1km	1 sq. km	Day Land Surface Temperature	Kelvin	16-bit unsinged integer	0.02
Lai_1km	1 sq. km	Leaf Area Index	m2plant/m2ground	8-bit unsigned integer	0.1

II) Method.

.....

Disease outbreak was predicted by Generalised Linear Model (Logistic Regression) from the master chart containing the above parameters using a R programme and the probability of disease outbreak was categorised in 6 risk levels- No risk (NR), Very low risk (VLR), Low risk (LR), Moderate risk (MR), High risk (HR) and Very high risk (VHR) for enabling the stake holders to take appropriate control measures by suitably allocating available resources. Given below is the probability distribution of risk interpretations.

S. No.	Probability of risk	Interpretation
1	0	No risk/No or inadequate data
2	0-0.20	Very low risk
3	0.21-0.40	Low risk
4	0.41-0.60	Moderate risk
5	0.61-0.80	High risk
6	0.8-1.0	Very high risk

3. Accuracy of Prediction.

Serial No.	Diseases	Accuracy (%)
1.	Black quarter	93.75
2.	Foot and mouth disease	80.11
3.	Haemorrhagic septicaemia	91.47
4.	Peste des petits ruminants	97.15

Formula Used: The **Accuracy** of disease prediction was calculated using the following formula.

$$\frac{\text{TP} + \text{TN}}{\text{Total}} * 100$$

TP-True Positive Observations, TN-True Negative Observations, Total- Total observations.

• Internal Accuracy was performed using 10 years of data. Accuracy obtained was > 90% except Foot and mouth disease (80.11%).



4. Forewarning of livestock disease for the month of May 2018

KARNATAKA TALUK/BLOCK LEVEL FOREWARNING: MAY 2018						
DISTRICT	Taluk/Block	Black quarter	Foot and mouth disease	Haemorrhagic septicaemia	Peste des petits ruminants	
BAGALKOT	Badami	VLR	LR	VLR	VLR	
BAGALKOT	Bagalkot	VLR	LR	VLR	VLR	
BAGALKOT	Bilgi	VLR	LR	VLR N	VLR	
BAGALKOT	Hungund	VLR	LR	LR	VLR	
BAGALKOT	Jamkhandi	VLR	VLR	VLR	VLR	
BAGALKOT	Mudhol	VLR	LR	VLR	VLR	
BANGALORE	Anekal	VLR	VLR	VLR	VLR	
BANGALORE	Bangalore North	VLR	VLR	VLR	VLR	
BANGALORE	Bangalore South	VLR	VLR	VLR	VLR	
BANGALORE RURAL	Devanahalli	VLR	VLR	VLR	VLR	
BANGALORE RURAL	Dod Ballapur	VLR	LR	VLR	VLR	
BANGALORE RURAL	Hosakote	LR	VLR	LR	VLR	
BANGALORE RURAL	Nelamangala	VLR	VLR	VLR	VLR	
BELGAUM	Athni	VLR	VLR	VLR	VLR	
BELGAUM	Belgaum	VLR	VLR	VLR	VLR	
BELGAUM	Chikodi	VLR	VLR	VLR	VLR	
BELGAUM	Gokak	VLR	VLR	VLR	VLR	
BELGAUM	Hukeri	VLR	LR	VLR	VLR	
BELGAUM	Khanapur	VLR	VLR	VLR	NR	
BELGAUM	Parasgad	VLR	LR	VLR	VLR	
BELGAUM	Ramdurg	VLR	VLR	VLR	VLR	
BELGAUM	Raybag	VLR	LR	VLR	VLR	
BELGAUM	Sampgaon	VLR	VLR	VLR	NR	
BELLARY	Bellary	VLR	VLR	VLR	VLR	
BELLARY	Hadagalli	VLR	LR	VLR	NR	
BELLARY	Hagaribommanahalli	NR	VLR	VLR	NR	

i) Taluk/Block wise Livestock Disease Forewarning

BELLARY	Hospet	VLR	VLR	VLR	VLR
BELLARY	Kudligi	VLR	VLR	VLR	VLR
BELLARY	Sandur	VLR	VLR	VLR	VLR
BELLARY	Siruguppa	VLR	VLR	VLR	VLR
BIDAR	Aurad	VLR	VLR	VLR	VLR
BIDAR	Basavakalyan	VLR	LR	VLR	VLR
BIDAR	Bhalki	VLR	LR	VLR N	VLR
BIDAR	Bidar	VLR	LR	VLR	VLR
BIDAR	Homnabad	VLR	LR	VLR	VLR
BIJAPUR	Basavana Bagevadi	VLR	LR	VLR	VLR
BIJAPUR	Bijapur	VLR	VLR	LR	VLR
BIJAPUR	Indi	VLR	VLR	VLR	VLR
BIJAPUR	Muddebihal	VLR	LR	VLR	VLR
BIJAPUR	Sindgi	VLR	LR	LR	VLR
CHAMARAJANAGAR	Chamarajanagar	VLR	VLR	VLR	VLR
CHAMARAJANAGAR	Gundlupet	VLR	VLR	VLR	VLR
CHAMARAJANAGAR	Kollegal	VLR	VLR	VLR	VLR
CHAMARAJANAGAR	Yelandur	VLR	VLR	VLR	VLR
CHIKKABALLAPURA	Bagepalli	VLR	LR	VLR	VLR
CHIKKABALLAPURA	Chikkaballapura	VLR	VLR	VLR	VLR
CHIKKABALLAPURA	Chintamani	VLR	LR	VLR	VLR
CHIKKABALLAPURA	Gauribidanur	VLR	VLR	VLR	VLR
CHIKKABALLAPURA	Gudibanda	VLR	LR	VLR	VLR
CHIKKABALLAPURA	Sidlaghatta	VLR	LR	VLR	VLR
CHIKMAGALUR	Chikmagalur	VLR	VLR	VLR	VLR
CHIKMAGALUR	Kadur	VLR	LR	VLR	VLR
CHIKMAGALUR	Корра	VLR	VLR	VLR	VLR
CHIKMAGALUR	Mudigere	VLR	VLR	VLR	VLR
CHIKMAGALUR	Narasimharajapura	VLR	VLR	VLR	VLR
CHIKMAGALUR	Sringeri	VLR	VLR	VLR	VLR

CHIKMAGALUR	Tarikere	VLR	LR	VLR	VLR
CHITRADURGA	Challakere	VLR	VLR	LR	VLR
CHITRADURGA	Chitradurga	VLR	LR	LR	VLR
CHITRADURGA	Hiriyur	VLR	LR	LR	VLR
CHITRADURGA	Holalkere	VLR	LR	VLR	VLR
CHITRADURGA	Hosdurga	VLR	VLR	LR	VLR
CHITRADURGA	Molakalmuru	VLR	LR	VLR N	VLR
DAKSHINA KANNADA	Bantval	VLR	VLR	VLR	VLR
DAKSHINA KANNADA	Beltangadi	VLR	VLR	VLR	VLR
DAKSHINA KANNADA	Mangalore	VLR	VLR	VLR	VLR
DAKSHINA KANNADA	Puttur	VLR	VLR	VLR	VLR
DAKSHINA KANNADA	Sulya	VLR	VLR	VLR	VLR
DAVANAGERE	Channagiri	VLR	VLR	VLR	VLR
DAVANAGERE	Davanagere	VLR	VLR	VLR	NR
DAVANAGERE	Harapanahalli	VLR	VLR	VLR	VLR
DAVANAGERE	Harihar	VLR	VLR	VLR	VLR
DAVANAGERE	Honnali	VLR	VLR	VLR	VLR
DAVANAGERE	Jagalur	VLR	LR	VLR	VLR
DHARWAD	Dharwad	VLR	VLR	VLR	NR
DHARWAD	Hubli	VLR	VLR	VLR	VLR
DHARWAD	Hubli city	VLR	VLR	VLR	VLR
DHARWAD	Kalghatgi	VLR	VLR	VLR	VLR
DHARWAD	Kundgol	VLR	VLR	VLR	NR
DHARWAD	Navalgund	VLR	VLR	VLR	VLR
GADAG	Gadag	VLR	LR	VLR	VLR
GADAG	Mundargi	VLR	VLR	VLR	VLR
GADAG	Nargund	VLR	LR	VLR	VLR
GADAG	Ron	VLR	LR	VLR	VLR
GADAG	Shirhatti	VLR	LR	VLR	VLR
GULBARGA	Afzalpur	VLR	LR	VLR	VLR


GULBARGA	Aland	VLR	LR	VLR	VLR
GULBARGA	Chincholi	VLR	LR	VLR	VLR
GULBARGA	Chitapur	VLR	VLR	VLR	VLR
GULBARGA	Gulbarga	VLR	LR	VLR	VLR
GULBARGA	Jevargi	VLR	VLR	VLR	VLR
GULBARGA	Sedam	VLR	LR	VLR	VLR
HASSAN	Alur	VLR	VLR	VLR N	VLR
HASSAN	Arkalgud	VHR	VLR	HR	VLR
HASSAN	Arsikere	VLR	LR	VLR	VLR
HASSAN	Belur	LR	LR	VLR	VLR
HASSAN	Channarayapatna	VLR	VLR	VLR	VLR
HASSAN	Hassan	VLR	VLR	VLR	VLR
HASSAN	Hole Narsipur	VLR	VLR	VLR	VLR
HASSAN	Sakleshpur	VLR	VLR	VLR	VLR
HAVERI	Byadgi	VLR	VLR	VLR	NR
HAVERI	Hangal	VLR	VLR	VLR	VLR
HAVERI	Haveri	VLR	VLR	VLR	VLR
HAVERI	Hirekerur	VLR	LR	LR	VLR
HAVERI	Ranibennur	VLR	LR	VLR	VLR
HAVERI	Savanur	VLR	LR	VLR	VLR
HAVERI	Shiggaon	VLR	VLR	VLR	VLR
KODAGU	Madikeri	VLR	VLR	VLR	VLR
KODAGU	Somvarpet	VLR	VLR	VLR	VLR
KODAGU	Virajpet	VLR	VLR	VLR	VLR
KOLAR	Bangarapet	VLR	LR	VLR	VLR
KOLAR	Kolar	VLR	LR	VLR	VLR
KOLAR	Malur	VLR	LR	VLR	VLR
KOLAR	Mulbagal	VLR	LR	VLR	VLR
KOLAR	Srinivaspur	VLR	LR	VLR	VLR
KOPPAL	Gangawati	VLR	LR	VLR	VLR


KOPPAL	Koppal	VLR	LR	VLR	VLR
KOPPAL	Kushtagi	VLR	LR	VLR	VLR
KOPPAL	Yelbarga	VLR	LR	VLR	VLR
MANDYA	Krishnarajpet	VLR	LR	VLR	VLR
MANDYA	Maddur	VLR	VLR	VLR	VLR
MANDYA	Malavalli	VLR	LR	VLR	VLR
MANDYA	Mandya	VLR	LR	VLR N	VLR
MANDYA	Nagamangala	VLR	LR	VLR	VLR
MANDYA	Pandavapura	VLR	LR	VLR	VLR
MANDYA	Shrirangapattana	VLR	LR	VLR	VLR
MYSORE	Heggadadevankote	VLR	VLR	VLR	VLR
MYSORE	Hunsur	VLR	LR	VLR	VLR
MYSORE	Krishnarajanagara	VLR	LR	VLR	VLR
MYSORE	Mysore	VLR	LR	VLR	VLR
MYSORE	Nanjangud	VLR	VLR	VLR	VLR
MYSORE	Piriyapatna	VLR	LR	VLR	VLR
MYSORE	Tirumakudal - Narsipur	VLR	VLR	VLR	VLR
RAICHUR	Devadurga	VLR	LR	VLR	VLR
RAICHUR	Lingsugur	VLR	LR	VLR	VLR
RAICHUR	Manvi	VLR	LR	VLR	VLR
RAICHUR	Raichur	VLR	VLR	VLR	VLR
RAICHUR	Sindhnur	VLR	LR	VLR	VLR
RAMANAGARA	Channapatna	VLR	VLR	VLR	VLR
RAMANAGARA	Kanakapura	VLR	VLR	VLR	VLR
RAMANAGARA	Magadi	VLR	VLR	VLR	VLR
RAMANAGARA	Ramanagara	VLR	LR	VLR	VLR
SHIMOGA	Bhadravati	VLR	VLR	VLR	VLR
SHIMOGA	Hosanagara	VLR	VLR	VLR	VLR
SHIMOGA	Sagar	VLR	VLR	VLR	VLR
SHIMOGA	Shikarpur	VLR	LR	VLR	VLR


SHIMOGA	Shimoga	LR	LR	VLR	VLR
SHIMOGA	Sorab	VLR	VLR	LR	VLR
SHIMOGA	Tirthahalli	VLR	VLR	VLR	VLR
TUMKUR	Chiknayakanhalli	VLR	VLR	VLR	VLR
TUMKUR	Gubbi	VLR	VLR	VLR	VLR
TUMKUR	Koratagere	VLR	VLR	VLR	VLR
TUMKUR	Kunigal	VLR	VLR	VLR N	VLR
TUMKUR	Madhugiri	VLR	LR	VLR	VLR
TUMKUR	Pavagada	VLR	LR	VLR	VLR
TUMKUR	Sira	VLR	VLR	VLR	VLR
TUMKUR	Tiptur	VLR	LR	VLR	VLR
TUMKUR	Tumkur	VLR	VLR	VLR	VLR
TUMKUR	Turuvekere	VLR	LR	VLR	VLR
UDUPI	Karkal	VLR	VLR	VLR	VLR
UDUPI	Kundapura	VLR	VLR	VLR	VLR
UDUPI	Udupi	VLR	VLR	VLR	VLR
UTTARA KANNADA	Ankola	VLR	VLR	VLR	VLR
UTTARA KANNADA	Bhatkal	VLR	VLR	VLR	VLR
UTTARA KANNADA	Haliyal	VLR	VLR	VLR	VLR
UTTARA KANNADA	Honavar	VLR	VLR	VLR	VLR
UTTARA KANNADA	Karwar	VLR	VLR	VLR	VLR
UTTARA KANNADA	Kumta	VLR	MR	LR	VLR
UTTARA KANNADA	Mundgod	VLR	VLR	VLR	VLR
UTTARA KANNADA	Siddapur	VLR	VLR	VLR	VLR
UTTARA KANNADA	Sirsi	VLR	VLR	VLR	VLR
UTTARA KANNADA	Supa	LR	VLR	VLR	VLR
UTTARA KANNADA	Yellapur	VLR	VLR	VLR	VLR
YADGIR	Shahpur	VLR	LR	VLR	VLR
YADGIR	Shorapur	VLR	LR	VLR	VLR
YADGIR	Yadgir	VLR	LR	VLR	VLR


*Number of predicted disease incidence was summarised considering only High risk and Very high risk (VHR+HR)

ii) Livestock Risk Prediction - Taluk wise Disease forewarning Maps









Page | 13

5. Abbreviations

NADRES	: National Animal Disease Referral Expert System	
R	: R environment for statistical computing	
BQ	: Black Quarter	
FMD	: Foot and Mouth disease	
HS	: Haemorrhagic Septicaemia	NIVEDI
PPR	: Peste des petits ruminants	
hPa	: Hectopascals	
NR	: No risk/No data available	
VLR	: Very low risk	
LR	: Low risk	7.1
MR	: Moderate risk	
HR	: High risk	* 105
VHR	: Very high risk	
	The second se	





ICAR-National Institute of Veterinary Epidemiology and Disease Informatics (ICAR_NIVEDI),

P. B. No.6450, Yelahanka, Bengaluru-560064

Phone: +91-80-23093111, Fax: +91-80-23093222, Email: director.nivedi@icar.gov.in